

Biogeosciences Discuss., author comment AC4
<https://doi.org/10.5194/bg-2022-50-AC4>, 2022
© Author(s) 2022. This work is distributed under
the Creative Commons Attribution 4.0 License.

Response to reviewer1

Jing Wang and Xuefa Wen

Author comment on "Excess radiation exacerbates drought stress impacts on canopy conductance along aridity gradients" by Jing Wang and Xuefa Wen, Biogeosciences Discuss., <https://doi.org/10.5194/bg-2022-50-AC4>, 2022

Response to reviews of manuscript "Excess radiation exacerbates drought stress impacts on stomatal conductance along aridity gradients" bg-2022-50

Response to reviewer#1

Dear Reviewer,

We would like to thank you for the thoughtful and valuable comments and suggestions on our manuscript entitled "Excess radiation exacerbates drought stress impacts on stomatal conductance along aridity gradients" (bg-2022-50). We have carefully revised our manuscript to take account of your comments and suggestions. Meanwhile, we have rephrased our manuscript title as "Excess radiation exacerbates drought stress impacts on canopy conductance along aridity gradients". Here are the point-to-point responses (responses in upright Roman in black front) to the comments (original queries in Italic in blue front). The changed figures and tables are presented in the Appendix 1 and Appendix 2 (listed at the end of the "Response to reviewer#1").

General comments:

1) I think this paper would greatly benefit from the inclusion of a more open, thorough and detailed description of the raw bulk leaf d_{18O} , LA and SLA data obtained in the

different regions, including additional figures depicting this basic information. Readers interested in the oxygen isotope composition of plants in general will surely want to see the raw leaf $\delta^{18}\text{O}$ data, as well as more detailed data on the $\delta^{18}\text{O}$ composition of rainfall water in the different regions (amount-weighted annual averages, range of values, etc). These data were used to estimate $\delta^{18}\text{O}$ enrichment in the different sampling sites, so it is important to report these basic raw data as well. I would also like to see the averages, ranges of values, standard deviations, etc of the leaf $\delta^{18}\text{O}$, SLA and LA values of the different grass species sampled in each region, as well as a listing of grass species names in each plateau. The detailed species listing could be included as Supporting Information material, but it is still important to provide this basic information for each plateau/climate region separately. Ideally, all this important descriptive information could be synthesized in 1 or 2 additional figures (or tables) that should be provided at the beginning of the Results section. Also, please briefly comment in the Discussion how your leaf $\delta^{18}\text{O}$ and $\delta^{18}\text{O}$ enrichment range of values compares to other datasets previously published in the literature, especially for arid and semiarid grasslands (in both China and elsewhere across world dryland ecosystems).

Response: Thank you very much for your valuable comments. Major revisions have been made as follows:

(1) The patterns of raw leaf $\delta^{18}\text{O}$ and $\delta^{18}\text{O}$ at species level along aridity gradient were added as an additional figure in "Supplementary 1" (Please see **Appendix 1, Fig.S2**). Meanwhile, characteristics (e.g. values of average, maximum, minimum, standard deviation and coefficient of variation of co-occurring species) of leaf $\delta^{18}\text{O}$ and $\delta^{18}\text{O}$ at species level for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP) Plateau were added as an additional Table in "Supplementary 1" (Please see **Appendix 1, Table S2**). The values $\delta^{18}\text{O}$ of each community and amount weighted $\delta^{18}\text{O}$ of precipitation have been listed in Table S1 (Please see **Appendix 1, Table S1**). Patterns of community LA and SLA among transects have been presented in Fig.1 (Please see **Appendix 1, Fig.1**).

(2) Information of coexisting species in each community have been listed in "Supplementary 2" (Please see **Appendix 2**).

(3) In "Discussion" section, we compared the community $\delta^{18}\text{O}$ with a study conducted in arid and semiarid grassland: "The community $\delta^{18}\text{O}$ ranges from 26.82‰ to 34.60‰ in Loess Plateau (LP), 32.28‰ to 36.17‰ in Inner Mongolia Plateau (MP), and 31.52‰ to 42.34‰ in Tibetan Plateau (TP) (Fig.2a, Table S1). Compared to a previous study conducted in a temperate grassland (mean annual precipitation was 753 mm) (28.2‰~30.53‰) (Hirl et al. 2021), the community $\delta^{18}\text{O}$ in this study was relative high. It indicated that the canopy conductance (G_s), presented by community $1/\delta^{18}\text{O}$, was relative low in this study. "

2) *The paper would also benefit from a more open acknowledgement that rainwater $\delta^{18}\text{O}$ is only a (reasonable) proxy of topsoil water $\delta^{18}\text{O}$, which is the real source of water used by most grass species. Evaporative isotopic enrichment of soil water in upper soil layers during prolonged rainless periods in dryland ecosystems usually results in heavy enrichment in the ^{18}O in the remaining soil water used by plants. Longer rainless periods and heavier evaporative enrichment of soil water in the drier sites along the aridity gradient could be also contributing to the reported patterns, but this questions is not*

addressed in the paper. I would appreciate the inclusion of a few sentences in the Discussion to address this caveat of the study. Despite this criticism, I admit that the approach used by the authors to estimate D18O enrichment is legitimate, in the absence of data on culm water isotopic composition in each species (which I am assuming is not available). However, the readers should be aware that interspecific differences in rooting and water acquisition depth and phenology among coexisting grass species can lead to substantial differences in the isotopic composition of their water sources, which cannot be detected with the approach used in the present study (even though they will certainly affect the real $\delta^{18}\text{O}$ and $\Delta^{18}\text{O}$ values of the different species). This should also be mentioned and discussed in the paper.

Response: Thanks very much for your comments and suggestions. We respond these comments from three aspects.

(1) In section "**4 Discussion**", we clarified that "Interspecific differences in rooting and water acquisition depth and phenology among coexisting species can lead to substantial differences in the $\delta^{18}\text{O}$ of their water sources (Moreno-Gutierrez *et al.* 2012). Previous studies found that the water uptake depths of co-occurring species in grassland are commonly occurred in shallow soil layers throughout dry and wet periods (Bachmann *et al.* 2015; Hirl *et al.* 2019; Prieto *et al.* 2018). The differences in water acquisition depth could be ruled out as a major source of interspecific variation in leaf $\delta^{18}\text{O}$ (Prieto *et al.* 2018)."

(2) In "**2 Materials and methods**" section, we clarified that: "Generally, data on long-term stem water isotopic composition in each species were not available. As precipitation was the only or mainly source water in dryland ecosystems, we assumed the amount-weighted $\delta^{18}\text{O}$ of precipitation during growing season can reflect the $\delta^{18}\text{O}$ of source water (Guerrieri *et al.* 2019; Maxwell *et al.* 2018). $\delta^{18}\text{O}$ of monthly precipitation at each site was simulated using longitude, latitude, and elevation according to (Bowen *et al.* 2005)."

(3) In section "**4 Discussion**", we also clarified that: "However, soil evaporation always exhibited increasing trends with the increasing aridity, and usually resulted in heavy enrichment in $\delta^{18}\text{O}$ in the remaining soil water used by plants (Lyu *et al.* 2021). Longer rainless periods and heavier evaporative enrichment of soil water along the aridity gradient could be also contributing to the decreasing trend of community $1/\square^{18}\text{O}$. Our results may overestimate the decreasing trend of G_s along the aridity gradient."

3) Important data are missing from the M&M section, including the elevation/altitude, mean annual rainfall $\delta^{18}\text{O}$, mean annual VPD, and LMA, LA (average, range of values) of the 3 different plateaus. This important information could be provided by adding additional panels to Figure 1. Please also add an additional panel for mean annual temperature (the one shown is for mean summer temperature). In panel f, please enhance the scale and resolution of the Y axis, as some of the drier sites in the Tibetan Plateau appear to have extremely low precipitation values that are hard to interpret in the graph.

Response: Thank you very much for your comments and suggestions. We respond these comments from three aspects: (1) Values of longitude, latitude, altitude, mean annual and growing season values of abiotic variables (e.g. temperature, precipitation, VPD and soil moisture), $\delta^{18}\text{O}$ of precipitation, and community $\square^{18}\text{O}$ for sampling sites along the aridity gradient were added in Table S1 (Please see **Appendix 1, Table S1**).

(2) Values of average, maximum, minimum, standard deviation and coefficient of variation of geographic and climatic information for transects were presented in Table S2 (Please see **Appendix 1, Table S2**).

(3) Changes in growing season climatic variables and community properties (leaf area and specific leaf area) among three transects were added as Figure 1 (Please see **Appendix 1, Figure 1**). Changes in mean annual precipitation, VPD, solar radiation, and temperature among three transects were added as Figure S2 (Please see **Appendix 1, Figure S2**).

(4) I would recommend the authors to discuss the influence of temperature on leaf $\delta^{18}\text{O}$ and D18O enrichment data much more in depth, according to earlier findings of Brent Helliker and collaborators, which I think are very relevant here (Helliker & Richter 2008 Nature, Song et al., 2011 New Phytologist).

Response: Thank you very much for your comment. We discussed the effect of temperature on $\delta^{18}\text{O}$ in section "4.4 Using community-weighted $1/\delta^{18}\text{O}$ as an indicator of canopy conductance" :

"The decreasing trend of community $\delta^{18}\text{O}$ along aridity may originate from temperature and VPD through their effects on evaporation and isotopic exchange between water and organic molecules (Barbour & Farquhar 2000; Helliker & Richter 2008; Song et al. 2011). For example, the equilibrium fractionation factor for water evaporation is dependent on temperature (Bottinga & Craig 1968). Temperature and VPD gradients between leaf and ambient air influence the evaporative gradient from leaf to air (Helliker & Richter 2008; Song et al. 2011). In addition, biochemical ^{18}O -fractionation during cellulose synthesis is sensitive to temperature, and the proportion of oxygen in cellulose derived from source water was humidity-sensitive (Hirl et al. 2021).

The potential effects of temperature and VPD on $\delta^{18}\text{O}$ via evaporation and isotopic exchange between water and organic molecules could be ruled out in this study. The growing season temperature variation was small along three transects (LP=3.3 °C, MP=4.9 °C, and TP=3.8 °C) (Table S1). However, the range of community $\delta^{18}\text{O}$ was 7.78‰ in LP, 3.89‰ in MP, and 6.17‰ in TP (Table S1, Fig. 2a). Previous studies demonstrated that the sensitivity of temperature to $\delta^{18}\text{O}$ was approximately 0.23‰/°C (Helliker & Richter 2008; Song et al. 2011). It seems that the changes in temperature were not a main contributor to the large variability in community $\delta^{18}\text{O}$. Meanwhile, positive relationships between community $1/\delta^{18}\text{O}$ and temperature were observed in LP ($P < 0.05$), and negative relationships between community $1/\delta^{18}\text{O}$ and VPD were observed in TP (Table 1). However, partial correlation analyses showed that community $1/\delta^{18}\text{O}$ was not related to temperature ($P > 0.05$) and VPD after controlling for G_s (Data were not shown). It indicated that the variability in community $1/\delta^{18}\text{O}$ was mainly determined from G_s ."

Specific comments:

1) L83-90: *Some of the references cited in this section may not be very adequate if they refer to the $\delta^{18}\text{O}$ of tree rings, which is a more complicated process influenced by other factors (post-photosynthetic and photosynthate transport processes, lignin synthesis, etc). I would recommend to cite here only papers dealing specifically with the $\delta^{18}\text{O}$ and/or $\delta^{18}\text{O}$ enrichment of bulk leaves, which is the topic of the present paper (e.g. see Ramirez et al 2009 Plant Cell Environ or the work by Margaret Barbour, Regina Hirl or Cabrera-Bosquet and Araus). Also, some of the references cited in this section appear to be missing from the References section (Levesque, Keitel?).*

Response: Thank you very much for your comments and suggestions. We rechecked the cited reference, corrected and rephrased this section as: "Given that leaf $\delta^{18}\text{O}$ at species level was affected by the leaf water evaporation process, variability in g_s should show up in leaf $\delta^{18}\text{O}$ (Barbour 2007; Barbour & Farquhar 2000; Farquhar et al. 1998). Negative relationship between $\delta^{18}\text{O}$ and g_s has been observed at species (Barbour & Farquhar 2000; Cabrera-Bosquet et al. 2011; Grams et al. 2007; Moreno-Gutierrez et al. 2012) and canopy scales (Cabrera et al. 2021; Hirl et al. 2021), and among communities along soil (Ramirez et al. 2009) and climate (Keitel et al. 2006) gradients. Consequently, we selected $1/\delta^{18}\text{O}$ was used as a proxy for g_s in this study. "

2) Lines 266-274: *this section dealing with the relationships between SLA and leaf oxygen isotopes is very confusing and hard to interpret. Please try to better clarify the nature of this relationship in the different plateaus, preferably illustrating it with some additional graphs ($1/\delta^{18}\text{O}$ enrichment vs SLA plots?). To the best of my knowledge, this relationship was first examined in depth by Prieto et al 2018 (Functional Ecology) in dry grassland species, so it would be interesting to compare and discuss the patterns encountered in both studies.*

Response: Thank you very much for your comment. We respond these comments from two aspects:

(1) This paragraph has been corrected and rephrased as: "Our preliminary study demonstrated that g_s was significantly affected by LA at species level in TP (Wang & Wen 2022). However, the effect of community LA on G_s was weak ($P=0.061$) (Fig.S5a), and variability in G_s along an aridity gradient was controlled by specific leaf area (SLA) (Table 1, Fig.S5b). This highlighted the difference in the biological drivers of g_s at leaf and canopy scales. Contrary to the results of the dry grassland species in Mediterranean (Prieto et al. 2018) and karst communities in subtropical regions (Wang et al. 2021), community $1/\delta^{18}\text{O}$ significantly decreased with SLA in this study (Table S1, Fig.S5). It indicated that the traditional leaf economic spectrum theory may not exist at community level in TP due to the multiple environmental stressors. SLA generally decreases with increasing solar radiation, and increases with temperature and water availability (Poorter et al. 2009). In this study, community SLA was negatively related to soil moisture, and positively related to maximum temperature (Table S5). It indicated that changes of community SLA was mainly controlled by maximum temperature. However, the direct effect of SLA on G_s in the structural equation was not significant (Fig.5c). This effect may be obscured by drought stress."

(2) Meanwhile, relationship between community $1/\delta^{18}\text{O}$ and LA and SLA have been

added as Figure S5 (Please see **Appendix 1, Figure S5**).

3) L226: *"and viceversa" is confusing and hard to interpret, please elaborate and explain what you mean here.*

Response: Corrected and rephrased as: "In addition, a global meta-analysis demonstrated that ecosystem conductance was mainly limited by low SM in xeric sites, and by VPD in mesic sites (Novick et al. 2016)."

4) L269-270: *I don't understand the term "high heat capacity" used in this sentence, please clarify.*

Response: This sentence has been deleted.

5) L16: *this sentence is confusing and difficult to understand, please rephrase and clarify what you mean here.*

Response: Corrected and rephrased as: "The Gs of TP was less than that of the other two plateaus due to the low temperature and high radiation."

(6) L51: *I think this sentence is inaccurate, as it is indeed possible to measure the leaf gas exchange rates of whole canopies using the appropriate methods (e.g. see Liberati et al 2021 Global Change Biology).*

Response: This sentence has been deleted.

7) L78-79: *Please rephrase and clarify your second hypothesis, it is difficult to understand.*

Response: Thank you very much for your comment. We respond to this comment from three aspects.

(1) We clarified that "However, previous studies showed that the direction and intensity of solar radiation and temperature on gs strongly depend on their distribution range and the relationship with aridity. For example, the response of g_s to solar radiation and

temperature generally shows an increasing trend up to optimum values (Xu *et al.* 2021), while excess radiation (Costa *et al.* 2015; Doupis *et al.* 2020; Zeuthen *et al.* 1997) and high temperature associated high VPD or low SM (Seneviratne *et al.* 2010) would suppress G_s ."

(2) We added the basic climatic context for the three grassland transect in the last paragraph of "**1 Instruction**" section: "The grassland transect span gradients of precipitation, SM, VPD, solar radiation, and temperature, provide an ideal platform for exploration of interactive effects of multiple stressors and biotic factors on G_s (Table S1). In addition, the three grassland transects experienced with different solar radiation and temperature conditions at a given aridity, due to the difference in the geographical location of the three plateaus. The order of mean annual temperature and solar radiation is LP>MP>TP and LP<MP<TP, respectively."

(3) We rephrased the second hypothesis as: "high solar radiation and low temperatures will jointly suppress G_s at a given aridity among transects. "

Appendix 1

Figure 1. Comparison of aridity (a), growing season precipitation (b), soil moisture (SM) (c), vapor pressure deficit (VPD) (d), solar radiation (SR) (e), temperature (f), maximum temperature ($Temp_{max}$) (g), and community leaf area (h) and specific leaf area (SLA) (i) among transects. LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Lowercase letters indicate significant differences among transects ($P < 0.05$). Error bars indicate standard error of the mean.

Figure 2. Patterns of $1/\delta^{18}O$ (a) along aridity gradient within transects, and among (b) transects. Different letters indicate significant differences ($P < 0.001$) among transects and grassland types. $\delta^{18}O$, ^{18}O enrichment of leaf organic matter above source water; LP, Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau.

Figure 3. Patterns of the intercept obtained from standardized major axis analysis (SMA)

among transects. VPD, vapor pressure deficit; SR, solar radiation; Temp_{max}, maximum temperature. LP, Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Shaded area represents the 95% confidence interval of the SMA intercept.

Figure 4. Structural equation models of abiotic factors explaining $1/\delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max}: maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. Solid and dashed arrows represent significant and non-significant relationships in a fitted SEM, respectively. ***, P<0.001; **, P<0.01; *, P<0.05.

Figure 5. Structural equation models of abiotic and biotic factors explaining $1/\delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max}: maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. LA, log-transformed leaf area; SLA, log-transformed specific leaf area. Solid and dashed arrows represent significant and non-significant relationships in a fitted SEM, respectively. ***, P<0.001; **, P<0.01; *, P<0.05.

Table 1 Pearson's coefficients among community $1/\delta^{18}\text{O}$ and environmental factors and plant properties.

Loess Plateau	Inner Mongolia Plateau	Tibet Plateau
---------------	------------------------	---------------

Aridity	-0.848**	-0.843**	-0.773**
SM	0.719*	0.707*	0.659*
VPD	-0.554	-0.384	-0.912**
SR	-0.639*	-0.728*	-0.850**
Temp _{mean}	0.641*	0.303	-0.670*
Temp _{max}	0.678*	0.038	-0.852**
LA	0.757*	0.913**	0.610
SLA	-0.519	-0.576	-0.648*

** , P<0.01; * , P<0.05. SM, soil moisture; VPD, vapor pressure deficit; SR, total solar radiation; Temp_{mean}, mean temperature; Temp_{max}, maximum temperature; LA, log-transformed leaf area; SLA, log-transformed specific leaf area.

Table S1 Geographic and climatic information, $\delta^{18}\text{O}$ of precipitation, and community $\delta^{18}\text{O}$ for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP), Plateau.

Site	Longitude	Latitude	Elevation	Aridity	Temperature	Temperature	Precipitation	Solar radiation	rVPD	SM	$\delta^{18}\text{O}_p$	$\delta^{18}\text{O}$
	(°E)	(°N)	(m)		(□)	(□)	(mm)	(kJ m ⁻² day ⁻¹)	(kPa)	(m ³ m ⁻³)	(‰)	(‰)
Year	GSW	Year	GS	Year	GS	Year	GS	GS	Year	GS		
LP01	113.36	36.29	804	0.57	11.85	18.19	29.6	599	546	12.95	15.60	4.78
LP02	112.29	35.99	894	0.60	9.96	17.60	29.2	549	501	13.31	16.04	3.57
LP03	111.64	35.99	833	0.64	10.66	18.61	30	520	475	12.69	15.65	4.04
LP04	110.18	36.07	966	0.63	10.72	18.03	29.9	519	478	14.25	17.02	4.52
LP05	109.24	36.74	1268	0.65	9.50	16.99	28.7	492	458	15.34	18.28	4.13

LP06 107.9 36.93 1383 0.68 7.46 15.71 27.8 424 394 15.32 18.31 2.53
2

LP07 107.1 37.58 1535 0.75 5.23 15.61 27.6 340 311 15.62 18.97 1.88
9

LP08 105.7 37.42 1293 0.85 5.87 16.94 28.8 222 211 15.53 18.95 2.01
8

LP09 104.9 37.44 1378 0.87 7.56 16.50 28.1 196 183 15.49 18.74 3.99
2

LP10 104.4 37.46 1714 0.87 7.71 15.31 26.8 189 179 15.56 18.77 4.75
4

Trend 0.009 0.035 0.024 <0.00 <0.00 0.012 0.005 0.445
1 1

NM01 123.5 44.59 144 0.68 5.10 16.60 29.6 425 410 13.67 17.28 1.11
1

NM02 121.0 44.52 269 0.73 5.80 16.66 30 393 378 14.73 18.44 2.56
4

NM03 120.3 45.11 660 0.71 3.72 13.60 27.4 387 372 14.94 18.81 2.30
3

NM04 118.3 44.77 1019 0.71 0.56 12.03 26.2 345 320 15.09 19.20 1.11
6

NM05 116.5 44.26 1129 0.77 1.17 12.27 26.2 283 267 15.21 19.35 1.53
2

NM06 116.6 43.55 1272 0.73 0.16 11.74 25.4 321 304 15.34 19.31 1.03
7

NM07 117.6 44.51 1024 0.73 1.96 12.10 26.3 319 298 14.88 18.99 1.70
8

NM08 114.8 44.01 1101 0.83 0.10 12.94 27.4 228 219 15.36 19.53 1.33
9

NM09 113.5 43.84 1022 0.86 2.47 14.20 28.3 199 190 15.59 19.76 2.49
0

NM10 112.1 43.63 955 0.88 3.69 14.87 30.1 183 169 15.35 19.57 2.96
5

Trend 0.626 0.995 0.450 <0.00 <0.00 0.026 0.018 0.104
1 1

TP01 95.45 31.46 4104 0.40 0.41 5.70 17.2 606 572 17.76 19.94 1.71

TP02 93.53 31.85 4509 0.37 -1.50 3.14 15.4 593 560 17.57 20.02 1.72

TP03 92.01 31.64 4587 0.61 -4.37 4.40 17 430 414 18.62 20.91 1.06

TP04 90.74 31.38 4617 0.65 -6.76 5.89 17.8 426 414 18.99 21.41 0.34

TP05 89.72 31.54 4588 0.67 -3.06 6.93 19.2 426 412 18.80 21.27 1.51

TP06 87.82 31.87 4570 0.79 -2.57 6.77 19.2 286 261 19.27 22.01 2.18

TP07 85.84 31.92 4938 0.90 -3.77 3.74 17.6 125 95 19.28 22.22 2.49

TP08 83.34 32.41 4578 0.94 -3.90 5.71 20.1 75 62 18.99 22.08 2.32

TP09 81.23 32.30 4558 0.92 -3.49 5.29 19.3 102 89 19.41 22.50 2.37

TP10 80.15 32.48 4328 0.93 -1.27 6.73 21.5 89 78 19.86 23.12 3.10

Trend 0.356 0.360 0.006 <0.00 <0.00 <0.00 <0.00 0.069
1 1 1 1

Temp_{max}, maximum temperature ; VPD, vapor deficit pressure; SM, soil moisture; $\delta^{18}\text{O}_p$, the $\delta^{18}\text{O}$ of precipitation; GSW, growing season. Trend indicates variation in variables along the aridity gradient.

Table S2 Differences in climatic variables among three transects.

	Transect	Period	Mean	Standard deviation	Minimum	Maximum	P value
Aridity	LP		0.71	0.12	0.57	0.87	0.693
	MP	0.76	0.07	0.68	0.88		
	TP	0.72	0.21	0.37	0.94		
Precipitation	LP	Year	405	157	189	599	0.329
	MP	308	84	183	425		
	TP	316	208	75	606		

LP	Growing	374	141	179	546	0.408
----	---------	-----	-----	-----	-----	-------

season

MP	293	82	169	410
----	-----	----	-----	-----

TP	296	204	62	572
----	-----	-----	----	-----

Soil	LP	Growing	0.12	0.03	0.07	0.17	0.148
------	----	---------	------	------	------	------	-------

moisture season

MP	0.11	0.04	0.06	0.17
----	------	------	------	------

TP	0.15	0.06	0.07	0.26
----	------	------	------	------

Vapor	LP	Year	3.62a	1.10	1.88	4.78	<0.001
-------	----	------	-------	------	------	------	--------

Pressure

deficit

MP	1.81b	0.71	1.03	2.96
----	-------	------	------	------

TP	1.88b	0.79		0.34	3.10			
LP	Growing	8.11a	0.91		6.44	9.44	<0.001	
	season							
MP	7.28a	1.33		5.94	9.46			
TP	4.51b	1.39		2.17	6.33			
Solar	LP	Year	14.61b	1.19		12.69	15.62	<0.001
	radiation							
MP	15.02b	0.54		13.67	15.59			
TP	18.86a	0.72		17.57	19.86			
LP	Growing	17.63c	1.41		15.60	18.97	<0.001	
	season							
MP	19.02b	0.72		17.28	19.76			

TP	21.55a	1.04		19.94	23.12			
Temperature		Year	8.65c	2.21		5.23	11.85	<0.001
MP	2.47b	2.04		0.10	5.80			
TP	-3.03a	1.96		-6.76	0.41			
LP	Growing	16.95c	1.16		15.31	18.61	<0.001	
	season							
MP	13.70b	1.84		11.74	16.66			
TP	5.43a	1.30		3.14	6.93			
Maximum LP			28.65a	1.06		26.80	30.00	<0.001
temperature								
MP	27.69a	1.73		25.40	30.10			

TP 18.43b 1.76 15.40 21.50

LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Lowercase letters indicate significant differences among transects ($P < 0.05$).

Table S3 Characteristics of leaf $\delta^{18}\text{O}$ and $\square^{18}\text{O}$ at species level for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP) Plateau.

Sites	Number	Leaf $\delta^{18}\text{O}$	$\square^{18}\text{O}$
-------	--------	----------------------------	------------------------

Mean	Max	Min	STD
LP01	25	19.70	26.12
LP02	33	22.72	28.13
LP03	25	23.43	28.31
LP04	28	22.84	31.46
LP05	41	21.01	31.46
LP06	33	20.90	30.01

LP07	33	24.73	31.23
------	----	-------	-------

LP08	19	27.43	32.96
------	----	-------	-------

LP09	27	26.51	35.35
------	----	-------	-------

LP10	15	25.73	32.68
------	----	-------	-------

LP	279	22.69	35.35
----	-----	-------	-------

MP01	18	23.04	29.24
------	----	-------	-------

MP02	37	23.48	28.73
------	----	-------	-------

MP03	30	23.54	30.97
------	----	-------	-------

MP04	17	22.85	28.10
------	----	-------	-------

MP05	13	26.54	31.73
------	----	-------	-------

MP06	22	25.85	32.65
------	----	-------	-------

MP07	15	24.03	27.40
------	----	-------	-------

MP08	22	27.59	31.71
------	----	-------	-------

MP09	17	28.23	31.56
------	----	-------	-------

MP10	12	29.16	32.33
MP	203	25.07	32.65
TP01	59	18.45	27.91
TP02	38	18.86	27.91
TP03	15	18.63	25.90
TP04	19	20.28	25.90
TP05	19	19.72	25.90

TP06	13	19.38	25.24
TP07	21	20.06	30.81
TP08	9	23.88	26.37
TP09	9	24.62	29.61
TP10	3	29.09	30.95
TP	205	19.72	30.95
Three Plateau	687	22.69	35.35

Table S4 Results of standardized major axis (SMA) line-fitting for the relationship between canopy stomatal conductance (using $1/\delta^{18}\text{O}$ as proxy) and aridity.

		Intercept	slope	r^2	P
Loess Plateau	Estimate	0.047	-0.196	0.68	0.003
Lower	0.043	-0.027			

Upper	0.052	-0.014			
Inner Mongolia Estimate	0.044	-0.020	0.72	0.002	
Plateau					
Lower	0.040	-0.027			
Upper	0.049	-0.014			
Tibet Plateau Estimate	0.038	-0.015	0.60	0.008	
Lower	0.034	-0.022			
Upper	0.042	-0.011			

Different letters indicate significant differences ($P < 0.001$) among transects in intercepts and slopes.

Table S5 Pearson coefficients for correlations among canopy stomatal conductance (Gs) and environmental factors and plant properties.

SLA -0.519 0.460 -0.454 -0.499 0.356 0.422 -0.433 -0.483 -0.533 1

Inner Gs 1
Mongol
ia
Plateau

Aridity -.843** 1

Precipitation .919** -.945** 1

SM .707* -.941** .877** 1

VPD -0.384 .736* -0.490 -.741* 1

SR -.728* .725* -.846** -.751* 0.196 1

Tem
P_{mean} 0.303 -0.002 0.298 -0.009 .647* -0.615 1

Tem
P_{max} 0.038 0.270 0.018 -0.235 .814** -0.386 .943** 1

LA .913** -.721* .875** 0.625 -0.218 -.731* 0.434 0.189 1

SLA -0.576 .803** -0.627 -.681* .849** 0.310 0.397 0.628 -0.410 1

TibetanGs 1
Plateau

Aridity -.773** 1

Precipitation .675* -.978** 1

SM .659* -.787** .795** 1

VPD -.912** .931** -.868** -.820** 1

SR -.850** .963** -.936** -.801** .943** 1

Tem P_{mean} -.670* 0.325 -0.189 -0.454 0.622 0.393 1

Temp_{max} -.852** .795** -.740* -.795** .935** .832** .760* 1

LA 0.610 -0.620 0.504 0.219 -0.624 -.658* -0.401 -0.536 1

SLA -.648* 0.558 -0.486 -.779** .715* 0.516 .724* .729* -0.078 1

** $, P < 0.01$; * $, P < 0.05$. gs, stomatal conductance; SM, soil moisture; VPD, vapor pressure deficit; SR, total solar radiation; Temp_{mean}, mean temperature; Temp_{max}, maximum temperature; LA, log-transformed leaf area; SLA, log-transformed specific leaf area.

Figure S1. Comparison of annual mean precipitation (mm) (a), vapor pressure deficit (VPD) (b), total solar radiation (TSR) (c), and air temperature (\square) (d) among three transects. LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Lowercase letters indicate significant differences among transects ($P < 0.05$). Error bars indicate standard error of the mean.

Figure S2. Patterns of leaf $\delta^{18}\text{O}$ and $\square^{18}\text{O}$ at species level along aridity gradient in Loess (LP), Inner Mongolia (MP), and Tibetan (TP), Plateau. m, slope of the linear regression; b, intercept of the linear regression.

Figure S3. Hypothetical structural equation models of abiotic factors explaining $1/\square^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\square^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max}: maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit.

Figure S4. Hypothetical structural equation models of abiotic and biotic factors explaining $1/\square^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\square^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max}: maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. LA, log-transformed leaf area; SLA, log-transformed specific leaf area.

Figure S5. Relationship between community $1/\square^{18}\text{O}$ and log-transformed leaf area (LA) (a) and specific leaf area (SLA) (b).

Appendix 2 Information of coexisting species in each community in Loess Plateau (LP),

Inner Mongolia Plateau (MP), and Tibet Plateau (TP).

Transect	Site	Species	Genus	Family
LP	1	Allium tenuissimum	Allium	Amaryllidaceae
LP	1	Artemisia annua	Artemisia	Compositae
LP	1	Artemisia scoparia	Artemisia	Compositae
LP	1	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	1	Carex korshinskyi	Carex	Cyperaceae
LP	1	Cirsium arvense	Cirsium	Compositae
LP	1	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	1	Cynanchum thesioides	Cynanchum	Apocynaceae
LP	1	Erigeron canadensis	Erigeron	Compositae

LP	1	Heteropappus altaicus	Heteropappus	Compositae
LP	1	Lespedeza bicolor	Lespedeza	Fabaceae
LP	1	Leymus chinensis	Leymus	Poaceae
LP	1	Medicago ruthenica	Medicago	Fabaceae
LP	1	Polygala tenuifolia	Polygala	Polygalaceae
LP	1	Rubia cordifolia	Rubia	Rubiaceae
LP	1	Salix gordejvii	Salix	Salicaceae
LP	1	Ulmus pumila	Ulmus	Ulmaceae
LP	1	Vicia amoena	Vicia	Fabaceae
LP	1	Viola philippica	Viola	Violaceae
LP	1	Youngia japonica	Youngia	Compositae

LP	1	Ziziphus jujuba	Ziziphus	Rhamnaceae
LP	1			Scrophulariaceae
LP	2	Heteropappus altaicus	Heteropappus	Compositae
LP	2	Agropyron cristatum	Agropyron	Poaceae
LP	2	Anemone chinensis	Anemone	Ranunculaceae
LP	2	Artemisia lavandulifolia	Artemisia	Asteraceae
LP	2	Astragalus scaberrimus	Astragalus	Fabaceae
LP	2	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	2	Caragana sinica	Caragana	Fabaceae
LP	2	Carex korshinskyi	Carex	Cyperaceae

LP	2	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	2	Cleistogenes songorica	Cleistogenes	Poaceae
LP	2	Dianthus chinensis	Dianthus	Caryophyllaceae
LP	2	Echinops sphaerocephalus	Echinops	Compositae
LP	2	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
LP	2	Incarvillea sinensis	Incarvillea	Bignoniaceae
LP	2	Lespedeza davurica	Lespedeza	Fabaceae
LP	2	Lespedeza juncea	Lespedeza	Fabaceae
LP	2	Patrinia scabiosifolia	Patrinia	Caprifoliaceae
LP	2	Periploca sepium	Periploca	Apocynaceae

LP	2	Plantago depressa	Plantago	Plantaginaceae
LP	2	Poa annua	Poa	Poaceae
LP	2	Polygala tenuifolia	Polygala	Polygalaceae
LP	2	Potentilla supina	Potentilla	Rosaceae
LP	2	Rosa xanthina	Rosa	Rosaceae
LP	2	Rubia cordifolia	Rubia	Rubiaceae
LP	2	Saussurea japonica	Saussurea	Compositae
LP	2	Scorzonera sinensis	Scorzonera	Compositae
LP	2	Setaria viridis	Setaria	Poaceae
LP	2	Themeda triandra	Themeda	Poaceae

LP	2	Thymus mongolicus	Thymus	Lamiaceae
LP	2	Tripolium pannonicum	Tripolium	Compositae
LP	2	Viola philippica	Viola	Violaceae
LP	2	Ziziphus jujuba	Ziziphus	Rhamnaceae
LP	3	Agropyron cristatum	Agropyron	Poaceae
LP	3	Artemisia leucophylla	Artemisia	Compositae
LP	3	Astragalus scaberrimus	Astragalus	Fabaceae
LP	3	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	3	Bupleurum chinense	Bupleurum	Apiaceae
LP	3	Carex korshinskyi	Carex	Cyperaceae

LP	3	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	3	Cleistogenes songorica	Cleistogenes	Poaceae
LP	3	Echinops sphaerocephalus	Echinops	Compositae
LP	3	Heteropappus altaicus	Heteropappus	Compositae
LP	3	Lespedeza davurica	Lespedeza	Fabaceae
LP	3	Poa annua	Poa	Poaceae
LP	3	Poa sphondylodes	Poa	Poaceae
LP	3	Polygala tenuifolia	Polygala	Polygalaceae
LP	3	Potentilla discolor	Potentilla	Rosaceae
LP	3	Potentilla tanacetifolia	Potentilla	Rosaceae

LP	3	Selaginella tamariscina	Selaginella	Selaginellaceae
LP	3	Serratula centauroides	Serratula	Compositae
LP	3	Stipa sibirica	Stipa	Poaceae
LP	3	Themeda triandra	Themeda	Poaceae
LP	3	Tripolium pannonicum	Tripolium	Compositae
LP	3	Viola philippica	Viola	Violaceae
LP	3	Vitex negundo	Vitex	Lamiaceae
LP	3	Wikstroemia chamaedaphne	Wikstroemia	Thymelaeaceae
LP	3	Ziziphus jujuba	Ziziphus	Rhamnaceae
LP	4	Agropyron cristatum	Agropyron	Poaceae
LP	4	Agropyron	Agropyron	Poaceae

desertorum

LP	4	Artemisia annua	Artemisia	Compositae
LP	4	Artemisia argyi	Artemisia	Compositae
LP	4	Artemisia argyi	Artemisia	Compositae
LP	4	Artemisia dalailamae	Artemisia	Compositae
LP	4	Astragalus melilotoides	Astragalus	Fabaceae
LP	4	Astragalus scaberrimus	Astragalus	Fabaceae
LP	4	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	4	Carex korshinskyi	Carex	Cyperaceae
LP	4	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	4	Gueldenstaedtia	Gueldenstaedtia	Fabaceae

verna

LP	4	Heteropappus altaicus	Heteropappus	Compositae
LP	4	Ixeris polycephala	Ixeris	Compositae
LP	4	Lespedeza bicolor	Lespedeza	Fabaceae
LP	4	Poa annua	Poa	Poaceae
LP	4	Polygala sibirica	Polygala	Polygalaceae
LP	4	Polygala tenuifolia	Polygala	Polygalaceae
LP	4	Potentilla discolor	Potentilla	Rosaceae
LP	4	Potentilla tanacetifolia	Potentilla	Rosaceae
LP	4	Rosa xanthina	Rosa	Rosaceae
LP	4	Scorzonera sinensis	Scorzonera	Compositae

LP	4	Vicia amoena	Vicia	Fabaceae
LP	4	Viola philippica	Viola	Violaceae
LP	4	Wikstroemia chamaedaphne	Wikstroemia	Thymelaeaceae
LP	4	Yulania denudata	Yulania	Magnoliaceae
LP	4	Ziziphus jujuba	Ziziphus	Rhamnaceae
LP	5	Artemisia annua	Artemisia	Compositae
LP	5	Artemisia argyi	Artemisia	Compositae
LP	5	Artemisia frigida	Artemisia	Compositae
LP	5	Artemisia japonica	Artemisia	Compositae
LP	5	Artemisia scoparia	Artemisia	Compositae
LP	5	Astragalus	Astragalus	Fabaceae

scaberrimus

LP	5	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	5	Caragana microphylla	Caragana	Fabaceae
LP	5	Carduus nutans	Carduus	Compositae
LP	5	Cirsium arvense	Cirsium	Compositae
LP	5	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	5	Cleistogenes serotina	Cleistogenes	Poaceae
LP	5	Cynanchum thesioides	Cynanchum	Apocynaceae
LP	5	Dracocephalum moldavica	Dracocephalum	Lamiaceae
LP	5	Eragrostis pilosa	Eragrostis	Poaceae

LP	5	Erigeron annuus	Erigeron	Compositae
LP	5	Glycyrrhiza uralensis	Glycyrrhiza	Fabaceae
LP	5	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
LP	5	Incarvillea sinensis	Incarvillea	Bignoniaceae
LP	5	Ixeris polycephala	Ixeris	Compositae
LP	5	Kalimeris hispida	Kalimeris	Compositae
LP	5	Koeleria pyramidata	Koeleria	Poaceae
LP	5	Lespedeza davurica	Lespedeza	Fabaceae
LP	5	Lespedeza juncea	Lespedeza	Fabaceae
LP	5	Leymus chinensis	Leymus	Poaceae
LP	5	Oxytropis	Oxytropis	Fabaceae

myriophylla

LP	5	Poa annua	Poa	Poaceae
LP	5	Poa sphondylodes	Poa	Poaceae
LP	5	Polygala sibirica	Polygala	Polygalaceae
LP	5	Potentilla supina	Potentilla	Rosaceae
LP	5	Potentilla tanacetifolia	Potentilla	Rosaceae
LP	5	Rubia cordifolia	Rubia	Rubiaceae
LP	5	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
LP	5	Sonchus arvensis	Sonchus	Compositae
LP	5	Taraxacum mongolicum	Taraxacum	Compositae
LP	5	Tripolium pannonicum	Tripolium	Compositae

LP	5	<i>Viola philippica</i>	<i>Viola</i>	Violaceae
LP	5	<i>Ziziphus jujuba</i>	<i>Ziziphus</i>	Rhamnaceae
LP	6	<i>Allium senescens</i>	<i>Allium</i>	Liliaceae
LP	6	<i>Anemone chinensis</i>	<i>Anemone</i>	Ranunculaceae
LP	6	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
LP	6	<i>Artemisia japonica</i>	<i>Artemisia</i>	Compositae
LP	6	<i>Astragalus scaberrimus</i>	<i>Astragalus</i>	Fabaceae
LP	6	<i>Carduus nutans</i>	<i>Carduus</i>	Compositae
LP	6	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	6	<i>Cleistogenes serotina</i>	<i>Cleistogenes</i>	Poaceae

LP	6	Echinops sphaerocephalus	Echinops	Compositae
LP	6	Elymus dahuricus	Elymus	Poaceae
LP	6	Imperata cylindrica	Imperata	Poaceae
LP	6	Kalimeris hispida	Kalimeris	Compositae
LP	6	Lappula myosotis	Lappula	Boraginaceae
LP	6	Leontopodium leontopodium	Leontopodium	Compositae
LP	6	Lespedeza bicolor	Lespedeza	Fabaceae
LP	6	Linum usitatissimum	Linum	Linaceae
LP	6	Medicago ruthenica	Medicago	Fabaceae
LP	6	Patrinia heterophylla	Patrinia	Caprifoliaceae

LP	6	Phlomis umbrosa	Phlomis	Lamiaceae
LP	6	Phragmites australis	Phragmites	Poaceae
LP	6	Poa sphondylodes	Poa	Poaceae
LP	6	Polygala tenuifolia	Polygala	Polygalaceae
LP	6	Potentilla chinensis	Potentilla	Rosaceae
LP	6	Potentilla sericea	Potentilla	Rosaceae
LP	6	Ranunculus japonicus	Ranunculus	Ranunculaceae
LP	6	Rubia cordifolia	Rubia	Rubiaceae
LP	6	Setaria viridis	Setaria	Poaceae
LP	6	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
LP	6	Sonchus arvensis	Sonchus	Compositae

LP	6	<i>Stipa bungeana</i>	Stipa	Poaceae
LP	6	<i>Stipa capillata</i>	Stipa	Poaceae
LP	6	<i>Taraxacum mongolicum</i>	Taraxacum	Compositae
LP	6	<i>Tripolium pannonicum</i>	Tripolium	Compositae
LP	7	<i>Agropyron cristatum</i>	Agropyron	Poaceae
LP	7	<i>Artemisia argyi</i>	Artemisia	Compositae
LP	7	<i>Artemisia scoparia</i>	Artemisia	Compositae
LP	7	<i>Astragalus adsurgens</i>	Astragalus	Fabaceae
LP	7	<i>Astragalus galactites</i>	Astragalus	Fabaceae
LP	7	<i>Astragalus melilotoides</i>	Astragalus	Fabaceae

LP	7	Astragalus propinquus	Astragalus	Fabaceae
LP	7	Bassia scoparia	Bassia	Amaranthaceae
LP	7	Carex korshinskyi	Carex	Cyperaceae
LP	7	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	7	Cleistogenes songorica	Cleistogenes	Poaceae
LP	7	Convolvulus arvensis	Convolvulus	Convolvulaceae
LP	7	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
LP	7	Haplophyllum dauricum	Haplophyllum	Rutaceae
LP	7	Heteropappus altaicus	Heteropappus	Compositae
LP	7	Ixeris polycephala	Ixeris	Compositae

LP	7	Koeleria pyramidata	Koeleria	Poaceae
LP	7	Lespedeza bicolor	Lespedeza	Fabaceae
LP	7	Leymus chinensis	Leymus	Poaceae
LP	7	Medicago ruthenica	Medicago	Fabaceae
LP	7	Medicago sativa	Medicago	Fabaceae
LP	7	Melilotus albus	Melilotus	Leguminosae
LP	7	Polygonum sibiricum	Polygonum	Polygonaceae
LP	7	Scorzonera sinensis	Scorzonera	Compositae
LP	7	Setaria viridis	Setaria	Poaceae
LP	7	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae

LP	7	Sonchus arvensis	Sonchus	Compositae
LP	7	Stipa capillata	Stipa	Poaceae
LP	7	Stipa splendens	Stipa	Poaceae
LP	7	Suaeda glauca	Suaeda	Amaranthaceae
LP	7	Taraxacum mongolicum	Taraxacum	Compositae
LP	7	Thermopsis lanceolata	Thermopsis	Fabaceae
LP	8	Allium tenuissimum	Allium	Amaryllidaceae
LP	8	Alopecurus aequalis	Alopecurus	Poaceae
LP	8	Artemisia scoparia	Artemisia	Compositae
LP	8	Astragalus galactites	Astragalus	Fabaceae

LP	8	Astragalus propinquus	Astragalus	Fabaceae
LP	8	Bassia dasyphylla	Bassia	Amaranthaceae
LP	8	Carex korshinskyi	Carex	Cyperaceae
LP	8	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	8	Convolvulus ammannii	Convolvulus	Convolvulaceae
LP	8	Echinochloa crus-galli	Echinochloa	Poaceae
LP	8	Eragrostis pilosa	Eragrostis	Poaceae
LP	8	Peganum harmala	Peganum	Nitrariaceae
LP	8	Reaumuria soongarica	Reaumuria	Tamaricaceae
LP	8	Stipa capillata	Stipa	Poaceae

LP	8	Tragus racemosus	Tragus	Poaceae
LP	8	Tribulus terrestris	Tribulus	Zygophyllaceae
LP	8	Zygophyllum mucronatum	Zygophyllum	Zygophyllaceae
LP	9	Allium mongolicum	Allium	Amaryllidaceae
LP	9	Allium polyrhizum	Allium	Amaryllidaceae
LP	9	Artemisia annua	Artemisia	Compositae
LP	9	Artemisia argyi	Artemisia	Compositae
LP	9	Artemisia capillaris	Artemisia	Compositae
LP	9	Artemisia scoparia	Artemisia	Compositae
LP	9	Asparagus cochinchinensis	Asparagus	Asparagaceae
LP	9	Astragalus	Astragalus	Fabaceae

galactites

LP	9	Caragana stenophylla	Caragana	Fabaceae
LP	9	Chloris virgata	Chloris	Poaceae
LP	9	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	9	Convolvulus ammannii	Convolvulus	Convolvulaceae
LP	9	Convolvulus arvensis	Convolvulus	Convolvulaceae
LP	9	Convolvulus tragacanthoides	Convolvulus	Convolvulaceae
LP	9	Echinochloa crus-galli	Echinochloa	Poaceae
LP	9	Euphorbia humifusa	Euphorbia	Euphorbiaceae
LP	9	Heteropappus altaicus	Heteropappus	Compositae

LP	9	Reaumuria soongarica	Reaumuria	Tamaricaceae
LP	9	Salsola collina	Salsola	Amaranthaceae
LP	9	Salsola passerina	Salsola	Amaranthaceae
LP	9	Stipa capillata	Stipa	Poaceae
LP	9	Suaeda glauca	Suaeda	Amaranthaceae
LP	9	Tribulus terrestris	Tribulus	Zygophyllaceae
LP	9	Zygophyllum mucronatum	Zygophyllum	Zygophyllaceae
LP	10	Heteropappus altaicus	Heteropappus	Compositae
LP	10	Lepidium apetalum	Lepidium	Brassicaceae
LP	10	Saussurea japonica	Saussurea	Compositae

LP	10	Alopecurus aequalis	Alopecurus	Poaceae
LP	10	Artemisia ordosica	Artemisia	Compositae
LP	10	Reaumuria soongarica	Reaumuria	Tamaricaceae
LP	10	Eragrostis pilosa	Eragrostis	Poaceae
LP	10	Allium polyrhizum	Allium	Amaryllidaceae
LP	10	Suaeda glauca	Suaeda	Amaranthaceae
LP	10	Alopecurus aequalis	Alopecurus	Poaceae
LP	10	Chenopodium album	Chenopodium	Amaranthaceae
LP	10	Carex korshinskyi	Carex	Cyperaceae
LP	10	Artemisia capillaris	Artemisia	Compositae

LP	10	Salsola passerina	Salsola	Amaranthaceae
LP	10	Cleistogenes hackelii	Cleistogenes	Poaceae
MP	1	Heteropappus altaicus	Heteropappus	Compositae
MP	1	Echinochloa crus-galli	Echinochloa	Poaceae
MP	1	Setaria viridis	Setaria	Poaceae
MP	1	Incarvillea sinensis	Incarvillea	Bignoniaceae
MP	1	Artemisia ordosica	Artemisia	Compositae
MP	1	Chloris virgata	Chloris	Poaceae
MP	1	Chenopodium glaucum	Chenopodium	Amaranthaceae
MP	1	Bassia scoparia	Bassia	Amaranthaceae

MP	1	Lactuca sativa	Lactuca	Compositae
MP	1	Phragmites australis	Phragmites	Poaceae
MP	1	Medicago sativa	Medicago	Fabaceae
MP	1	Carex korshinskyi	Carex	Cyperaceae
MP	1	Calystegia pellita	Calystegia	Convolvulaceae
MP	1	Polygonum sibiricum	Polygonum	Polygonaceae
MP	1	Leymus chinensis	Leymus	Poaceae
MP	1	Artemisia sphaerocephala	Artemisia	Compositae
MP	1	Aeluropus littoralis	Aeluropus	Poaceae
MP	1	Medicago sativa	Medicago	Fabaceae
MP	2	Adenophora stricta	Adenophora	Campanulaceae

MP	2	Agropyron cristatum	Agropyron	Poaceae
MP	2	Allium anisopodium	Allium	Amaryllidaceae
MP	2	Allium ramosum	Allium	Amaryllidaceae
MP	2	Amethystea caerulea	Amethystea	Lamiaceae
MP	2	Anemarrhena asphodeloides	Anemarrhena	Asparagaceae
MP	2	Artemisia desertorum	Artemisia	Compositae
MP	2	Artemisia lavandulifolia	Artemisia	Asteraceae
MP	2	Artemisia sieversiana	Artemisia	Compositae
MP	2	Artemisia sphaerocephala	Artemisia	Compositae

MP	2	<i>Atraphaxis manshurica</i>	Atraphaxis	Polygonaceae
MP	2	<i>Carex pediformis</i>	Carex	Cyperaceae
MP	2	<i>Chenopodium acuminatum</i>	Chenopodium	Amaranthaceae
MP	2	<i>Chloris virgata</i>	Chloris	Poaceae
MP	2	<i>Cleistogenes hackelii</i>	Cleistogenes	Poaceae
MP	2	<i>Clematis hexapetala</i>	Clematis	Ranunculaceae
MP	2	<i>Corispermum mongolicum</i>	Corispermum	Amaranthaceae
MP	2	<i>Cynanchum thesioides</i>	Cynanchum	Apocynaceae
MP	2	<i>Dysphania aristata</i>	Dysphania	Amaranthaceae
MP	2	<i>Enneapogon desvauxii</i>	Enneapogon	Poaceae

MP	2	<i>Ephedra sinica</i>	Ephedra	Ephedraceae
MP	2	<i>Eriochloa villosa</i>	Eriochloa	Poaceae
MP	2	<i>Erodium stephanianum</i>	Erodium	Geraniaceae
MP	2	<i>Euphorbia humifusa</i>	Euphorbia	Euphorbiaceae
MP	2	<i>Glycyrrhiza uralensis</i>	Glycyrrhiza	Fabaceae
MP	2	<i>Iris tenuifolia</i>	Iris	Iridaceae
MP	2	<i>Lespedeza davurica</i>	Lespedeza	Fabaceae
MP	2	<i>Medicago ruthenica</i>	Medicago	Fabaceae
MP	2	<i>Phragmites australis</i>	Phragmites	Poaceae
MP	2	<i>Salsola collina</i>	Salsola	Amaranthaceae

MP	2	Serratula centauroides	Serratula	Compositae
MP	2	Setaria viridis	Setaria	Poaceae
MP	2	Stipa capillata	Stipa	Poaceae
MP	2	Stipa sibirica	Stipa	Poaceae
MP	2	Thalictrum squarrosum	Thalictrum	Ranunculaceae
MP	2	Tribulus terrestris	Tribulus	Zygophyllaceae
MP	3	Allium tenuissimum	Allium	Amaryllidaceae
MP	3	Anemarrhena asphodeloides	Anemarrhena	Asparagaceae
MP	3	Artemisia annua	Artemisia	Compositae
MP	3	Artemisia lavandulifolia	Artemisia	Asteraceae

MP	3	Astragalus adsurgens	Astragalus	Fabaceae
MP	3	Astragalus propinquus	Astragalus	Fabaceae
MP	3	Carex korshinskyi	Carex	Cyperaceae
MP	3	Cleistogenes hackelii	Cleistogenes	Poaceae
MP	3	Convolvulus arvensis	Convolvulus	Convolvulaceae
MP	3	Eriochloa villosa	Eriochloa	Poaceae
MP	3	Erodium stephanianum	Erodium	Geraniaceae
MP	3	Euphorbia humifusa	Euphorbia	Euphorbiaceae
MP	3	Gerbera anandria	Gerbera	Compositae
MP	3	Heteropappus altaicus	Heteropappus	Compositae

MP	3	Leontopodium leontopodium	Leontopodium	Compositae
MP	3	Lespedeza davurica	Lespedeza	Fabaceae
MP	3	Lespedeza juncea	Lespedeza	Fabaceae
MP	3	Leymus chinensis	Leymus	Poaceae
MP	3	Linum stelleroides	Linum	Linaceae
MP	3	Miscanthus sacchariflorus	Miscanthus	Poaceae
MP	3	Polygala tenuifolia	Polygala	Polygalaceae
MP	3	Polygonum divaricatum	Polygonum	Polygonaceae
MP	3	Potentilla betonicifolia	Potentilla	Rosaceae
MP	3	Potentilla verticillaris	Potentilla	Rosaceae

MP	3	Salsola collina	Salsola	Amaranthaceae
MP	3	Sanguisorba officinalis	Sanguisorba	Rosaceae
MP	3	Serratula centauroides	Serratula	Compositae
MP	3	Stipa sibirica	Stipa	Poaceae
MP	3	Thalictrum petaloideum	Thalictrum	Ranunculaceae
MP	4	Agropyron cristatum	Agropyron	Poaceae
MP	4	Allium bidentatum	Allium	Amaryllidaceae
MP	4	Anemarrhena asphodeloides	Anemarrhena	Asparagaceae
MP	4	Bassia prostrata	Bassia	Amaranthaceae
MP	4	Carex korshinskyi	Carex	Cyperaceae

MP	4	Cleistogenes hackelii	Cleistogenes	Poaceae
MP	4	Dysphania aristata	Dysphania	Amaranthaceae
MP	4	Iris tenuifolia	Iris	Iridaceae
MP	4	Koeleria pyramidata	Koeleria	Poaceae
MP	4	Lappula myosotis	Lappula	Boraginaceae
MP	4	Leymus chinensis	Leymus	Poaceae
MP	4	Medicago ruthenica	Medicago	Fabaceae
MP	4	Potentilla acaulis	Potentilla	Rosaceae
MP	4	Salsola collina	Salsola	Amaranthaceae
MP	4	Scorzonera sinensis	Scorzonera	Compositae
MP	4	Stipa capillata	Stipa	Poaceae

MP	4	Veratrum nigrum	Veratrum	Melanthiaceae
MP	5	Allium anisopodium	Allium	Amaryllidaceae
MP	5	Agropyron cristatum	Agropyron	Poaceae
MP	5	Cymbaria daurica	Cymbaria	Orobanchaceae
MP	5	Chenopodium glaucum	Chenopodium	Amaranthaceae
MP	5	Chenopodium acuminatum	Chenopodium	Amaranthaceae
MP	5	Artemisia frigida	Artemisia	Compositae
MP	5	Bassia prostrata	Bassia	Amaranthaceae
MP	5	Carex korshinskyi	Carex	Cyperaceae
MP	5	Cleistogenes hackelii	Cleistogenes	Poaceae

MP	5	Allium tenuissimum	Allium	Amaryllidaceae
MP	5	Leymus chinensis	Leymus	Poaceae
MP	5	Stipa capillata	Stipa	Poaceae
MP	5	Salsola collina	Salsola	Amaranthaceae
MP	6	Agropyron cristatum	Agropyron	Poaceae
MP	6	Cleistogenes squarrosa	Cleistogenes	Poaceae
MP	6	Ephedra sinica	Ephedra	Ephedraceae
MP	6	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
MP	6	Allium condensatum	Allium	Amaryllidaceae
MP	6	Artemisia annua	Artemisia	Compositae

MP	6	Chenopodium glaucum	Chenopodium	Amaranthaceae
MP	6	Artemisia frigida	Artemisia	Compositae
MP	6	Bassia prostrata	Bassia	Amaranthaceae
MP	6	Thermopsis lanceolata	Thermopsis	Fabaceae
MP	6	Koeleria pyramidata	Koeleria	Poaceae
MP	6	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
MP	6	Carex korshinskyi	Carex	Cyperaceae
MP	6	Allium tenuissimum	Allium	Amaryllidaceae
MP	6	Iris tenuifolia	Iris	Iridaceae
MP	6	Leymus chinensis	Leymus	Poaceae
MP	6	Allium ramosum	Allium	Amaryllidaceae

MP	6	<i>Stipa sibirica</i>	Stipa	Poaceae
MP	6	<i>Poa annua</i>	Poa	Poaceae
MP	6	<i>Stipa capillata</i>	Stipa	Poaceae
MP	6	<i>Axyris amaranthoides</i>	Axyris	Amaranthaceae
MP	6	<i>Salsola collina</i>	Salsola	Amaranthaceae
MP	7	<i>Agropyron cristatum</i>	Agropyron	Poaceae
MP	7	<i>Scutellaria scordiifolia</i>	Scutellaria	Lamiaceae
MP	7	<i>Astragalus melilotoides</i>	Astragalus	Fabaceae
MP	7	<i>Cymbaria daurica</i>	Cymbaria	Orobanchaceae
MP	7	<i>Euphorbia fischeriana</i>	Euphorbia	Euphorbiaceae

MP	7	Koeleria pyramidata	Koeleria	Poaceae
MP	7	Astragalus galactites	Astragalus	Fabaceae
MP	7	Allium bidentatum	Allium	Amaryllidaceae
MP	7	Carex korshinskyi	Carex	Cyperaceae
MP	7	Cleistogenes hackelii	Cleistogenes	Poaceae
MP	7	Allium tenuissimum	Allium	Amaryllidaceae
MP	7	Iris tenuifolia	Iris	Iridaceae
MP	7	Leymus chinensis	Leymus	Poaceae
MP	7	Stipa capillata	Stipa	Poaceae
MP	7	Anemarrhena asphodeloides	Anemarrhena	Asparagaceae

MP	8	Heteropappus altaicus	Heteropappus	Compositae
MP	8	Agropyron cristatum	Agropyron	Poaceae
MP	8	Cymbaria daurica	Cymbaria	Orobanchaceae
MP	8	Artemisia annua	Artemisia	Compositae
MP	8	Chenopodium acuminatum	Chenopodium	Amaranthaceae
MP	8	Allium polyrhizum	Allium	Amaryllidaceae
MP	8	Artemisia frigida	Artemisia	Compositae
MP	8	Asparagus schoberioides	Asparagus	Asparagaceae
MP	8	Bassia prostrata	Bassia	Amaranthaceae
MP	8	Astragalus galactites	Astragalus	Fabaceae

MP	8	Allium bidentatum	Allium	Amaryllidaceae
MP	8	Carex korshinskyi	Carex	Cyperaceae
MP	8	Cleistogenes hackelii	Cleistogenes	Poaceae
MP	8	Allium tenuissimum	Allium	Amaryllidaceae
MP	8	Iris tenuifolia	Iris	Iridaceae
MP	8	Leymus chinensis	Leymus	Poaceae
MP	8	Allium ramosum	Allium	Amaryllidaceae
MP	8	Convolvulus ammannii	Convolvulus	Convolvulaceae
MP	8	Stipa capillata	Stipa	Poaceae
MP	8	Neopallasia pectinata	Neopallasia	Compositae
MP	8	Salsola collina	Salsola	Amaranthaceae

MP	9	Artemisia argyi	Artemisia	Compositae
MP	9	Scorzonera sinensis	Scorzonera	Compositae
MP	9	Eragrostis pilosa	Eragrostis	Poaceae
MP	9	Tribulus terrestris	Tribulus	Zygophyllaceae
MP	9	Allium polyrhizum	Allium	Amaryllidaceae
MP	9	Asparagus schoberioides	Asparagus	Asparagaceae
MP	9	Peganum harmala	Peganum	Nitrariaceae
MP	9	Iris lactea	Iris	Iridaceae
MP	9	Corispermum mongolicum	Corispermum	Amaranthaceae
MP	9	Allium bidentatum	Allium	Amaryllidaceae

MP	9	Carex korshinskyi	Carex	Cyperaceae
MP	9	Cleistogenes songorica	Cleistogenes	Poaceae
MP	9	Caragana stenophylla	Caragana	Fabaceae
MP	9	Convolvulus ammannii	Convolvulus	Convolvulaceae
MP	9	Stipa capillata	Stipa	Poaceae
MP	9	Salsola collina	Salsola	Amaranthaceae
MP	10	Setaria viridis	Setaria	Poaceae
MP	10	Tribulus terrestris	Tribulus	Zygophyllaceae
MP	10	Asparagus schoberioides	Asparagus	Asparagaceae
MP	10	Corispermum mongolicum	Corispermum	Amaranthaceae
MP	10	Allium	Allium	Amaryllidaceae

bidentatum

MP	10	Carex korshinskyi	Carex	Cyperaceae
MP	10	Cleistogenes songorica	Cleistogenes	Poaceae
MP	10	Iris tenuifolia	Iris	Iridaceae
MP	10	Caragana stenophylla	Caragana	Fabaceae
MP	10	Stipa capillata	Stipa	Poaceae
MP	10	Salsola collina	Salsola	Amaranthaceae
TP	1	Allium przewalskianum	Allium	Amaryllidaceae
TP	1	Allium ramosum	Allium	Amaryllidaceae
TP	1	Anaphalis xylorhiza	Anaphalis	Compositae
TP	1	Androsace tapete	Androsace	Primulaceae

TP	1	Androsace umbellata	Androsace	Primulaceae
TP	1	Arenaria brevipetala	Arenaria	Caryophyllaceae
TP	1	Artemisia argyi	Artemisia	Compositae
TP	1	Aster tataricus	Aster	Compositae
TP	1	Astragalus propinquus	Astragalus	Fabaceae
TP	1	Calamagrostis lahulensis	Calamagrostis	Poaceae
TP	1	Caragana sinica	Caragana	Fabaceae
TP	1	Carex korshinskyi	Carex	Cyperaceae
TP	1	Chenopodium glaucum	Chenopodium	Amaranthaceae
TP	1	Elymus dahuricus	Elymus	Poaceae

TP	1	Eragrostis pilosa	Eragrostis	Poaceae
TP	1	Euphorbia stracheyi	Euphorbia	Euphorbiaceae
TP	1	Gentiana scabra	Gentiana	Gentianaceae
TP	1	Gentiana straminea	Gentiana	Gentianaceae
TP	1	Gentiana szechenyii	Gentiana	Gentianaceae
TP	1	Gentianopsis paludosa	Gentianopsis	Gentianaceae
TP	1	Geranium wilfordii	Geranium	Geraniaceae
TP	1	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
TP	1	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
TP	1	Heracleum hemsleyanum	Heracleum	Apiaceae

TP	1	Heteropappus altaicus	Heteropappus	Compositae
TP	1	Incarvillea sinensis	Incarvillea	Bignoniaceae
TP	1	Iris tectorum	Iris	Iridaceae
TP	1	Kobresia littledalei	Kobresia	Cyperaceae
TP	1	Leontopodium leontopodium	Leontopodium	Compositae
TP	1	Phlomis youngusbandii	Phlomis	Lamiaceae
TP	1	Plantago depressa	Plantago	Plantaginaceae
TP	1	Poa annua	Poa	Poaceae
TP	1	Polygonum divaricatum	Polygonum	Polygonaceae
TP	1	Potentilla chinensis	Potentilla	Rosaceae

TP	1	Potentilla multifida	Potentilla	Rosaceae
TP	1	Potentilla saundersiana	Potentilla	Rosaceae
TP	1	Przewalskia tangutica	Przewalskia	Solanaceae
TP	1	Scorzonera sinensis	Scorzonera	Compositae
TP	1	Scrophularia ningpoensis	Scrophularia	Scrophulariaceae
TP	1	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	1	Silene gallica	Silene	Caryophyllaceae
TP	1	Stipa capillata	Stipa	Poaceae
TP	1	Stipa purpurea	Stipa	Poaceae
TP	1	Taraxacum mongolicum	Taraxacum	Compositae

TP	1	<i>Vicia amoena</i>	Vicia	Fabaceae
TP	2	<i>Anaphalis xylorhiza</i>	Anaphalis	Compositae
TP	2	<i>Artemisia argyi</i>	Artemisia	Compositae
TP	2	<i>Aster souliei</i>	Aster	Compositae
TP	2	<i>Aster tataricus</i>	Aster	Compositae
TP	2	<i>Astragalus strictus</i>	Astragalus	Fabaceae
TP	2	<i>Carex korshinskyi</i>	Carex	Cyperaceae
TP	2	<i>Elsholtzia densa</i>	Elsholtzia	Lamiaceae
TP	2	<i>Eragrostis alta</i>	Eragrostis	Poaceae
TP	2	<i>Euphorbia fischeriana</i>	Euphorbia	Euphorbiaceae

TP	2	Geranium wilfordii	Geranium	Geraniaceae
TP	2	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
TP	2	Heracleum hemsleyanum	Heracleum	Apiaceae
TP	2	Kobresia pygmaea	Kobresia	Cyperaceae
TP	2	Lancea tibetica	Lancea	Phrymaceae
TP	2	Lasiocaryum densiflorum	Lasiocaryum	Boraginaceae
TP	2	Persicaria vivipara	Persicaria	Polygonaceae
TP	2	Phlomoides rotata	Phlomoides	Lamiaceae
TP	2	Poa annua	Poa	Poaceae
TP	2	Polygonum sibiricum	Polygonum	Polygonaceae

TP	2	Potentilla anserina	Potentilla	Rosaceae
TP	2	Potentilla parvifolia	Potentilla	Rosaceae
TP	2	Potentilla saundersiana	Potentilla	Rosaceae
TP	2	Przewalskia tangutica	Przewalskia	Solanaceae
TP	2	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	2	Stipa capillata	Stipa	Poaceae
TP	2	Taraxacum mongolicum	Taraxacum	Compositae
TP	2	Urtica hyperborea	Urtica	Urticaceae
TP	3	Astragalus propinquus	Astragalus	Fabaceae
TP	3	Carex korshinskyi	Carex	Cyperaceae

TP	3	Eragrostis alta	Eragrostis	Poaceae
TP	3	Kobresia pygmaea	Kobresia	Cyperaceae
TP	3	Lancea tibetica	Lancea	Phrymaceae
TP	3	Leontopodium leontopodium	Leontopodium	Compositae
TP	3	Poa annua	Poa	Poaceae
TP	3	Potentilla anserina	Potentilla	Rosaceae
TP	3	Potentilla saundersiana	Potentilla	Rosaceae
TP	3	Saussurea japonica	Saussurea	Compositae
TP	3	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	3	Taraxacum mongolicum	Taraxacum	Compositae

TP	4	Astragalus arnoldii	Astragalus	Fabaceae
TP	4	Callianthemum pimpinelloides	Callianthemum	Ranunculaceae
TP	4	Carex korshinskyi	Carex	Cyperaceae
TP	4	Eragrostis alta	Eragrostis	Poaceae
TP	4	Euphorbia fischeriana	Euphorbia	Euphorbiaceae
TP	4	Heteropappus boweri	Heteropappus	Compositae
TP	4	Kobresia pygmaea	Kobresia	Cyperaceae
TP	4	Leontopodium leontopodium	Leontopodium	Compositae
TP	4	Oxytropis stracheyana	Oxytropis	Fabaceae
TP	4	Pedicularis alaschanica	Pedicularis	Scrophulariaceae

TP	4	<i>Poa setulosa</i>	<i>Poa</i>	Poaceae
TP	4	<i>Przewalskia tangutica</i>	<i>Przewalskia</i>	Solanaceae
TP	4	<i>Rhodiola smithii</i>	<i>Rhodiola</i>	Crassulaceae
TP	4	<i>Saussurea japonica</i>	<i>Saussurea</i>	Compositae
TP	4	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	4	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	5	<i>Arenaria edgeworthiana</i>	<i>Arenaria</i>	Caryophyllaceae
TP	5	<i>Astragalus adsurgens</i>	<i>Astragalus</i>	Fabaceae
TP	5	<i>Astragalus tribulifolius</i>	<i>Astragalus</i>	Fabaceae
TP	5	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae

TP	5	Carex littledalei	Carex	Cyperaceae
TP	5	Dolomiaea souliei	Dolomiaea	Compositae
TP	5	Dracocephalum heterophyllum	Dracocephalum	Lamiaceae
TP	5	Eragrostis pilosa	Eragrostis	Poaceae
TP	5	Heteropappus boweri	Heteropappus	Compositae
TP	5	Kobresia pygmaea	Kobresia	Cyperaceae
TP	5	Leontopodium leontopodium	Leontopodium	Compositae
TP	5	Poa annua	Poa	Poaceae
TP	5	Potentilla chinensis	Potentilla	Rosaceae
TP	5	Potentilla supina	Potentilla	Rosaceae

TP	5	Rhodiola smithii	Rhodiola	Crassulaceae
TP	5	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	5	Stipa capillata	Stipa	Poaceae
TP	5	Stipa purpurea	Stipa	Poaceae
TP	5	Youngia japonica	Youngia	Compositae
TP	6	Astragalus adsurgens	Astragalus	Fabaceae
TP	6	Carex korshinskyi	Carex	Cyperaceae
TP	6	Dracocephalum heterophyllum	Dracocephalum	Lamiaceae
TP	6	Heteropappus boweri	Heteropappus	Compositae
TP	6	Incarvillea lutea	Incarvillea	Bignoniaceae
TP	6	Lagotis brachystachya	Lagotis	Plantaginaceae

TP	6	Oxytropis microphylla	Oxytropis	Fabaceae
TP	6	Przewalskia tangutica	Przewalskia	Solanaceae
TP	6	Rhodiola smithii	Rhodiola	Crassulaceae
TP	6	Sibbaldia parviflora	Sibbaldia	Rosaceae
TP	6	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	6	Stipa capillata	Stipa	Poaceae
TP	6	Stipa purpurea	Stipa	Poaceae
TP	7	Androsace tapete	Androsace	Primulaceae
TP	7	Arenaria brevipetala	Arenaria	Caryophyllaceae
TP	7	Astragalus propinquus	Astragalus	Fabaceae

TP	7	Carex korshinskyi Carex		Cyperaceae
TP	7	Eragrostis pilosa Eragrostis		Poaceae
TP	7	Kalimeris hispida Kalimeris		Compositae
TP	7	Kobresia pygmaea	Kobresia	Cyperaceae
TP	7	Lagotis brachystachya	Lagotis	Plantaginaceae
TP	7	Lasiocaryum densiflorum	Lasiocaryum	Boraginaceae
TP	7	Leontopodium leontopodium	Leontopodium	Compositae
TP	7	Lepidium capitatum	Lepidium	Brassicaceae
TP	7	Poa annua	Poa	Poaceae
TP	7	Polygonum sibiricum	Polygonum	Polygonaceae

TP	7	Potentilla parvifolia	Potentilla	Rosaceae
TP	7	Potentilla plumosa	Potentilla	Rosaceae
TP	7	Pycnolanthus uniflora	Pycnolanthus	Brassicaceae
TP	7	Sibbaldia parviflora	Sibbaldia	Rosaceae
TP	7	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	7	Stipa purpurea	Stipa	Poaceae
TP	7	Taraxacum mongolicum	Taraxacum	Compositae
TP	8	Artemisia desertorum	Artemisia	Compositae
TP	8	Astragalus propinquus	Astragalus	Fabaceae
TP	8	Astragalus	Astragalus	Fabaceae

tribulifolius

TP	8	Carex korshinskyi	Carex	Cyperaceae
TP	8	Heteropappus boweri	Heteropappus	Compositae
TP	8	Oxytropis microphylla	Oxytropis	Fabaceae
TP	8	Poa annua	Poa	Poaceae
TP	8	Ptilotrichum canescens	Ptilotrichum	Brassicaceae
TP	8	Stipa capillata	Stipa	Poaceae
TP	9	Artemisia desertorum	Artemisia	Compositae
TP	9	Astragalus hendersonii	Astragalus	Fabaceae
TP	9	Carex korshinskyi	Carex	Cyperaceae
TP	9	Oxytropis glacialis	Oxytropis	Fabaceae

TP	9	Oxytropis microphylla	Oxytropis	Fabaceae
TP	9	Ptilotrichum canescens	Ptilotrichum	Brassicaceae
TP	9	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
TP	9	Stipa tianschanica	Stipa	Poaceae
TP	10	Stipa tianschanica	Stipa	Poaceae
TP	10	Ajania fruticulosa	Ajania	Compositae
TP	10	Oxytropis microphylla	Oxytropis	Fabaceae

Please also note the supplement to this comment:

<https://bg.copernicus.org/preprints/bg-2022-50/bg-2022-50-AC4-supplement.pdf>