

Geosci. Model Dev. Discuss., author comment AC5
<https://doi.org/10.5194/gmd-2021-441-AC5>, 2022
© Author(s) 2022. This work is distributed under
the Creative Commons Attribution 4.0 License.

Reply on RC2

Jiangbo Jin et al.

Author comment on "Formulation of a new explicit tidal scheme in revised LICOM2.0" by
Jiangbo Jin et al., Geosci. Model Dev. Discuss.,
<https://doi.org/10.5194/gmd-2021-441-AC5>, 2022

Thanks the reviewer for the suggestions and thorough review for this manuscript. We carefully revised the manuscript according to the suggested comments, including the grammatical issues. Our point-to-point response to the reviewer is as follows.

Reviewer #2: Recommendation.

The authors introduced the direct effect of the gravitation of the Sun and Moon for the external forcing in the tidal model, i.e. the equilibrium tidal potential. This is different from a traditional method which uses a sum of tidal constituents, obtained by spherical harmonics expansion. The authors ran an OGCM by this new tidal forcing, and showed that reproducibility of sea level variations was improved. Although this result could be an important achievement in tidal modeling, the current manuscript is insufficient for explanation, model experiments, and analysis. I encourage the authors to resubmit the paper after a drastic improvement, at least in terms of the points listed in "Major comments".

Major comments

#1

The advantages of the new scheme are not explained clearly. Normally, we treat a tidal potential individually for each tidal constituent specified by the so-called Doodson number, but I think that this paper deals with all the tidal constituents directly from the first principle. In the paper, the advantages of the new method are not theoretically discussed,

so the purpose of its introduction is unclear. The traditional method also has advantages, for example, changing the tide parameters such as the love number for each tide, targeting specified tidal constituents, and so on.

Reply: Thanks for your suggestion. We have revised the paper based on your comments and added the theoretical discussion on the advantages of the two schemes in the summary: "The new tidal scheme has some unique advantages: It can accurately provide instantaneous tidal potentials, since both astronomers and oceanographers have well established models for determining the exact position of the sun and the moon by Julian and for calculating the instantaneous tidal potential by their projected positions. Traditional tidal scheme do not guarantee the correct transient tidal potential at any given time, as described in Section 4.1. Traditional method does not cover all tidal constituents, so it is more suitable to study only one specific tidal constituent rather than the full real tidal process in the OGCM. Besides, in the traditional scheme, the tidal potential is introduced in the form of sine wave, so that the climate state of tidal potential is zero at any position. The new tidal method does not impose this particular time variation." in Line 338-347.

#2

I think that the verification approach using an OGCM is not suitable for the purpose of this paper, which is to propose a new tidal scheme. The authors should first verify it by a barotropic tide model. In addition, as the authors wrote, tide models have various tuning parameters, so the accuracy should be compared after tuning the parameters for the two schemes. Alternatively, the authors may explain theoretically the errors inherent in the traditional method, and show that they would be eliminated.

Reply: Thanks for your suggestion. The aims of this study are to propose a new tidal scheme and investigate the application of the new tidal scheme in OGCM. So, we appreciate your suggestion. We will use the barotropic tide model to verify the tidal scheme in the next step and follow the suggestion in your comment #3.

In addition, the new tidal scheme reasonably simulates the instantaneous tidal potential of spring and neap tide in Section 4.1. Exp1 applying the tradition tidal scheme exhibited larger errors in the amplitude, phase of major tidal constituents compared to Exp2 using the new tidal scheme, which is related with adopting the fixed amplitude for each tidal constituent in traditional explicit tidal scheme. Thus, we think the new tidal scheme reduces errors in the traditional method.

#3

If the authors still want to introduce the new tidal forcing into an OGCM, the introduction method should be reconsidered. As discussed in detail in Arbic et al. (2010) and Sakamoto et al. (2013, DOI:10.5194/os-9-1089-2013), replacing the barotropic equation in an OGCM by Eq.(10) in the paper leads to disrupt the dynamical balance of the ocean circulation in the original OGCM. There is no point in verifying the model results in such a situation.

Reply: Thanks for your suggestion, which has given us great inspiration. According to your suggestion, we conducted experiments by also adopting the practical scheme following Sakamoto et al. (2013). This scheme decomposes the barotropic process including tides into a linear component caused by tides and the original barotropic

component that maintains the original dynamical balance in the ocean. The experiment was integrated for one year, initialized from the quasi-equilibrium state (300th year) of the spin-up experiment under the same CORE I forcing fields. We found the errors (including the phase error and total error) of all the eight tidal constituents of Exp2 using the new tidal scheme are less than Exp1 that applies the tradition tidal scheme (Table R1). When we apply the practical scheme of Sakamoto et al. (2013), the distribution and amplitude of tidal constituents in Exp1 and Exp2 (Figures R1 and R2 in uploaded supplementary documents) are very similar to the original method. The conclusions of the new tidal scheme on improvement of the tidal constituents remain unchanged. Therefore, we added "Furthermore, we conduct two experiments (one using traditional tidal scheme, the other applying new tidal scheme) by also adopting the practical scheme following Sakamoto et al. (2013), we found the errors (including the phase error and total error) of all the eight tidal constituents of the experiment using the new tidal scheme are less than that applies the tradition tidal scheme (Table R1 in uploaded supplementary documents)." in Lines 303-307.

The traditional formula of the eight tidal constituents by Griffies et al. (2009) is incorporated directly in barotropic equation in many OGCMs including MOM, MPI-OM, HYCOM and LICOM (Schiller, 2004; Arbic et al., 2010; Müller et al., 2012, Yu et al. 2016). Based on the above two points, we decide to use the same method to introduce the tidal forcing in this paper, i.e. introducing the tidal forcing directly in barotropic equation in OGCM.

Besides, Arbic et al (2010) pointed out the global tidal simulations must include parameterized topographic wave drag in order to accurately simulate the tides, we added a drag term in barotropic equation (Eq.(10) in the paper), including parameterized internal wave drag due to the oscillating flow over the topography and the wave drag term due to the undulation of the sea surface (Jayne and Laurent, 2001; Simmons et al. 2004; Schiller and Fiedler, 2007), which is the same drag term with MOM to deal with the traditional tidal method. Therefore, we did not see evidence of the disruption of the dynamical balance by the introduction of our method. We revised the paper by adding a discussion about the dynamical balance: "Introduction of tidal forcing leads to disrupt the dynamical balance of the ocean circulation in the original OGCM (Sakamoto et al., 2013), and Arbic et al (2010) pointed out the global tidal simulations must include parameterized topographic wave drag in order to accurately simulate the tides, we added a drag term , in barotropic equation, including parameterized internal wave drag due to the oscillating flow over the topography and the wave drag term due to the undulation of the sea surface (Jayne and Laurent, 2001; Simmons et al. 2004; Schiller and Fiedler, 2007)." in Lines138-144

Sakamoto et al. (2013) provides a guarantee for the dynamical balance of tidal dissipation, we will use the decomposition method of Sakamoto et al. (2013) to quantitatively compare the effects of tidal forcing on large scale ocean circulation and the sensitivity of bottom friction due to the tidal component in our future work.

Minor comments

#4 Abstract

Quantitative evaluations are necessary when discussing accuracy.

Reply: Thanks for your suggestion. Quantitative improvements for M2 and K1 are briefly supplemented in the abstract: "It significantly reduces the total errors of eight tidal constituents (with the exception of N2 and Q1) in the traditional explicit tidal scheme, in which the total errors of K1 and M2 are reduced by 21.85% and 32.13%, respectively." in Line 29-31.

"Compared with Exp1, the total errors of K1 and M2 in Exp2 are reduced by 21.85% and 32.13% respectively." in Line 268-269.

#5 Section 2.

Add some appropriate references for the gravitation of celestial bodies (a textbook?).

Description of variables is also insufficient.

Reply: Thanks very much. When introducing Eq.(1), we have added some references for the gravitation of celestial bodies: "Assuming that the Earth is a rigid body, the horizontal tide-generating force is (Cartwright, 1999; Boon, 2004):" in Lines 99-100. We have added the description of the variable in Section 2, for example, " θ is the angle between the Moon pointing to the center of the Earth and point X, and r are the distance and zenith angle of the Moon and an arbitrary position X on the Earth (Fig. 1)." in Lines 106-108.

#6 Eq. (4)

I cannot follow derivation of Eq.(4).

Please give a supplement or reference for readers.

Reply: Thanks. We have modified this part of the paper and uploaded supplementary documents.

#7 Eq. (9)

There is no need to separate cases, since the value of " $\cos T_m$ " is the same.

Reply: Thanks very much. We have deleted the Eq. (9) according to your suggestion.

#8 L.187 "the negative regions of the spiring tide..."

The meaning is not clear. What part of Schwiderski (1980) do you refer to?

Reply: This shows that the minimum value of Exp2 in Fig.2 is a circle around the earth without closing, rather than the existence of two closed minimums like Exp1 (Figure R3). Schwiderski (1980) pointed out that when the Earth is an ideal sphere, the equilibrium tide covering the earth's surface exhibits an ellipsoid shape, and distribution of Exp2 is consistent with the ellipsoid's planar expansion.

#9 L.199-201 "The different distribution..."

Enrich arguments to support the conclusion.

Reply: Thanks for your suggestion. We have added the relationship between the position of solar projection and the tidal potential distribution of neap tide, which will more clearly illustrate the advantages of the new scheme in the simulation of solar projection position, we have revised to "There are pronounced differences in neap tides between Exp1 and Exp2 (Fig. 3). The neap tide simulated in Exp2 shows a larger meridional variation, the positive regions are mainly concentrated in the middle and low latitudes, the negative regions are mainly concentrated in the high latitudes of the two hemispheres, because the projection positions of the Sun and Moon are located in the middle and low latitudes, resulting in the relatively weaker tidal potential in the high latitudes farther away from the projection position, which is consistent with the results of Gill (2015). However, Exp1 presents a larger zonal variation (positive-negative-positive-negative pattern), and the negative regions are concentrated in the middle and low latitudes rather than the high latitudes, and the tidal potential in the polar regions is even higher than the negative regions in low latitudes, which means that the projection position of the sun is incorrect, locating at high latitudes rather than at low latitudes. Therefore, the new tidal scheme can better represent the position of the Sun compared to the traditional scheme." in Line 199-210 according to your suggestion.

#10 Section 4.3

The definition of "Dynamic sea level" is required.

Reply: Thanks for your suggestion. We have added the following definitions: "that is defined as the sea level associated with the fluid dynamic state of the ocean (Griffies and Greatbatch, 2012; Griffies et al., 2016)" in Line 309-310.

#11 L.313-315 "Therefore, compared to Exp 1..."

Why does the Exp 2 improve? The reason should be discussed.

Reply: Thanks. We have added the following discussion: "This is because Exp2 applying the new formulation of the tidal scheme can reasonably consider the positions of both the Sun and Moon relative to Exp1, which makes the higher DSL in low latitude compared to that in high latitude due to the effect of gravity." in Line 330-333.

References

Arbic, B. K., Wallcraft, A. J., and Metzger, E. J.: Concurrent simulation of the eddying general circulation and tides in a global ocean model, *Ocean Modell.*, 32(3-4), 175-187, <https://doi.org/10.1016/j.ocemod.2010.01.007>, 2010.

Boon, J.: *Secrets of the Tides*, Horwood Publishing, 2004.

Cartwright, D. E.: *Tides : a scientific history*, Cambridge University Press, 1999.

Gill, S.: Sea-level science: Understanding tides, surges, tsunamis and mean sea-level changes, *Phys Today*, 68, 56–57, 2015.

Griffies, S. M., Danabasoglu, G., Durack, P. J., Adcroft, A. J., Balaji, V., Böning, C. W., Chassignet, E. P., Curchitser, E., Deshayes, J., Drange, H., Fox-Kemper, B., Gleckler, P. J., Gregory, J. M., Haak, H., Hallberg, R. W., Heimbach, P., Hewitt, H. T., Holland, D. M., Ilyina, T., Jungclaus, J. H., Komuro, Y., Krasting, J. P., Large, W. G., Marsland, S. J., Masina, S., McDougall, T. J., Nurser, A. J. G., Orr, J. C., Pirani, A., Qiao, F., Stouffer, R. J., Taylor, K. E., Treguier, A. M., Tsujino, H., Uotila, P., Valdivieso, M., Wang, Q., Winton, M., and Yeager, S. G.: OMIP contribution to CMIP6: experimental and diagnostic protocol for the physical component of the Ocean Model Intercomparison Project, *Geosci. Model Dev.*, 9, 3231–3296, <https://doi.org/10.5194/gmd-9-3231-2016>, 2016.

Griffies, S. M., and Greatbatch, R. J.: Physical processes that impact the evolution of global mean sea level in ocean climate models, *Ocean Modell.*, 51, 37–72, <https://doi.org/10.1016/j.ocemod.2012.04.003>, 2012.

Griffies, S. M., Schmidt, M., and Herzfeld, M.: Elements of mom4p1, GFDL Ocean Group Tech. Rep, 6, 444.p, 2009.

Jayne, S. R. and Laurent, L. C. S.: Parameterizing tidal dissipation over rough topography, *Geophys. Res. Lett.*, 28(5), 811–814, <https://doi.org/10.1029/2000GL012044>, 2001.

Müller, M., Haak, H., Jungclaus, J. H., Sündermann, J., and Thomas, M.: The effect of ocean tides on a climate model simulation, *Ocean Modell.*, 35(4), 304–313, <https://doi.org/10.1016/j.ocemod.2010.09.001>, 2010.

Sakamoto, K., Tsujino, H., Nakano, H., Hirabara, M., and Yamanaka, G.: A practical scheme to introduce explicit tidal forcing into an OGCM, *Ocean Sci.*, 9, 1089–1108, <https://doi.org/10.5194/os-9-1089-2013>, 2013.

Schiller, A.: Effects of explicit tidal forcing in an OGCM on the water-mass structure and circulation in the Indonesian throughflow region, *Ocean Modell.*, 6(1), 31–49, [https://doi.org/10.1016/S1463-5003\(02\)00057-4](https://doi.org/10.1016/S1463-5003(02)00057-4), 2004.

Schiller, A., and Fiedler, R.: Explicit tidal forcing in an ocean general circulation model, *Geophys. Res. Lett.*, 34(3), L03611, <https://doi.org/10.1029/2006GL028363>, 2007.

Schwiderski, E.: On charting global ocean tides, *Rev. Geophys.*, 18(1), 243–268, <https://doi.org/10.1029/RG018i001p00243>, 1980.

Simmons, H. L., Jayne, S. R., Laurent, L. C. S., and Weaver, A. J.: Tidally driven mixing in a numerical model of the ocean general circulation, *Ocean Modell.*, 6, 245–263, [https://doi.org/10.1016/S1463-5003\(03\)00011-8](https://doi.org/10.1016/S1463-5003(03)00011-8), 2004.

Yu, Y., Liu, H., and Lan, J.: The influence of explicit tidal forcing in a climate ocean circulation model, *Acta Meteorol. Sin.*, 35(9), 42–50, <https://doi.org/10.1007/s13131-016-0931-9>, 2016.

Please also note the supplement to this comment:

<https://gmd.copernicus.org/preprints/gmd-2021-441/gmd-2021-441-AC5-supplement.pdf>