

Interactive comment on “How runoff components affect the export of DOC and nitrate: a long-term and high-frequency analysis” by Michael P. Schwab et al.

Anonymous Referee #1

Received and published: 30 August 2017

This manuscript reports the use of high frequency measurement of DOC and nitrate using UV VIS spectrophotometer in a forested headwater catchment, Weierbach. The scope of the manuscript is relevant to HESS and presents on the use of relatively new tools –high frequency, automated sensor data to understand the dynamics of DOC and nitrate in the catchment. Rigorous evaluation of these emerging technologies is a pressing need. The aim of this manuscript was to demonstrate that these high frequency automated sensor data add value to understanding event and seasonal dynamics of DOC and nitrate in this catchment. Indeed, the manuscript reaches a confirmatory conclusion that the sensors add value in detecting event peaks and seasonal trends. However, at the end of the manuscript, it is not clear to the reader how trans-

[Printer-friendly version](#)

[Discussion paper](#)



ferable these methods are to other catchments; the methods and limitations of the sensors remain poorly articulated in this manuscript. In particular, a number of concerns are raised concerning detail of the methods and assumptions. These concerns include 1) details on methods for filtering samples and calibration of sensor seemed inadequate to reproduce, 2) the adequacy of use of linear regression for calibrating sensor data to manual grab samples and well as 3) use of non-conservative tracers as end members to attribute to sourcing. Most studies in the literature use concentrations obtained from grab samples as the known concentration values (X axis) and sensor data as the response variable (Y axis). Uncertainty in both the x and y as well as self-correlations (see Worrall et al. 2015 should be given consideration and other models (possibly orthogonal regression or other models (see Vaughan et al. 2017)) should be adopted to address uncertainty in x and y values. Finally, this manuscript is not as fluent as it could be, and it could be more concise. There were numerous grammatical and tense agreement issues as well as awkward statements that made accessing the results and discussion a bit challenging. I believe that there could be better use of figures and some figures could be combined and/or possibly put into supplemental materials. Standard hydrograph separation techniques should be used or better referenced. Adequate referencing of description of prior research in the Weierbach is needed in the introduction to understand the research gap but also the rationale behind single and double peak separation. Some of these studies are cited in the discussion but this discussion comes too late. Finally, putting these data into context of other studies is desperately needed to improve the manuscript.

Specific comments

Page 4, line 1-5: Hypotheses are a bit awkward; what is meant by individual concentration signals?

Page 5, line 4: Need more details on global calibration provided by manufacturer.

Page 5, line 7: filter through what kind of filter? Need more details here. And were the

[Printer-friendly version](#)

[Discussion paper](#)



samples run for NPOC or TC-TIC? Then you are sparging the samples?

Page 5, line 10: if only using nitrate samples, how did you cover the full range of nitrate concentrations at high discharges?

Page 5, lines 10-15: Most studies found in the literature (e.g. Vaughan et al. 2017) use concentrations obtained from grab samples as the known concentration values (X axis) and sensor data as the response variable (Y axis). This is the reverse of what has been done in Figure 2. Uncertainty in both the x and y as well as self-correlations (see Worrall et al. 2015 should be given consideration and other models (possibly orthogonal regression or other models (see Vaughan et al. 2017)) should be adopted to address uncertainty in x and y values. Were the residuals of the line regression examined to determine if they are normally distributed? They appear at bit heteroscedastic, especially for DOC. Finally, this section is awkward and could use a rewrite. Here the manuscript starts to switch back and forth. For example, it should read DOC concentrations of grab samples “were” linearly correlated to stay consistent with past tense used throughout paragraph.

Page7, line 3: More specifics on rating curve are needed. Are these published rating curves or derived from other publications. If so, please reference or provide more details.

Page 7, line 4-19: This section needs more referencing to prior research in the catchment as well as referencing for hydrograph separation. If these rainfall runoff characteristics are not reported elsewhere (but it seems like they are based on discussion), these are results and should go into the results section. Also, referencing to standard hydrograph separation or using accepted hydrograph separation would add utility to this paper.

Page 7, line 24: Figure 3 could be perhaps moved to supplemental if adequate referencing is use.

Page 12, line 4: here the manuscript using DOC and nitrate endmembers and infers sources without providing additional conservative tracers to determine sources. Did you collect or analyze samples for other conservative tracers for both hydrograph separation and end member mixing analysis. Using a conservative tracer is a central assumption of these analyses (see Barthold et al. (2011)) such that the validity of interpretation of sourcing in this manuscript is questions without additional evidence supporting this conclusion.

Page 12, line 16. Suggest change paragraph to past tense.

Page 13, line 10, relevant? Suggest a different word choice, suggest substantial

Page 16, line 5: this line refers to other studies and limitation of the sensors. Can you reference to these studies? Perhaps this would be a better method paper if these data were also reported to show the limitation of the sensors?

Page 16, line 8-19: This seems slightly redundant to methods. Perhaps include this section or shortened version thereof in methods. Can you reference other studies that have done this?

Page 16, line 20-34. Again, tenses are switched in the paragraph. I'd suggest keeping in past tense.

Page 17, line 4, suggest delete "have"

Page 17, line 5: awkward sentence—suggest revise

Page 17, line 12 and starting line 20. Here you refer to other studies that have been conducted in the catchment identifying the single and double peaks. This is a strong rationale for your study, approach, and analysis. I think some of this needs to come up to the introduction or methods.

Page 17, line 32: Suggest delete second sentence starting "By only..." repeat of same sentence.

[Printer-friendly version](#)

[Discussion paper](#)



Figures: Figure 8 and 9 could be combined into one figure with different panels.

Technical corrections: Page 4, Line 8: spell out *masl* the first time

Page 4, line 9 and 10: italicize *Fagus sylvatica* and *Picea abies*

Page 4, Line 10: delete period (.) before (Glaser et al., 2016)

Page 4, line 13: Suggest change “The” to “A” and change “is causing: to “results in”

Page 6, line 3, suggest delete “for” before throughfall

Page 6, line 7, suggest add “(Figure 1)” after location

Page 9, line 6: delete “the” before nitrate and change to “had” to “were” and delete “levels”.

Page 9, line 7: Suggest modify sentence to read “Nitrate concentrations decreased during recession periods, as observed in spring 2014 and 2015. . .

Page 11, line 5: suggest change “reaction” to “response” because you can not infer reaction.

Page 16, line 2: delete “have”

References referred to within comments:

Vaughan, M. C. H., et al. (2017), High-frequency dissolved organic carbon and nitrate measurements reveal differences in storm hysteresis and loading in relation to land cover and seasonality, *Water Resour. Res.*, 53, 5345–5363, doi:10.1002/2017WR020491.

Worrall, F., Burt, T. P. & Howden, N. J. K. The problem of self-correlation in fluvial flux data – The case of nitrate flux from UK rivers. *Journal of Hydrology* 530, 328–335 (2015).

Barthold, F. K., C. Tyralla, K. Schneider, K. B. Vaché, H.-G. Frede, and L. Breuer (2011),

[Printer-friendly version](#)

[Discussion paper](#)



How many tracers do we need for end member mixing analysis (EMMA)? A sensitivity analysis, *Water Resour. Res.*, 47, W08519, doi:10.1029/2011WR010604.

Interactive comment on *Hydrol. Earth Syst. Sci. Discuss.*, <https://doi.org/10.5194/hess-2017-416>, 2017.

HESSD

Interactive
comment

Printer-friendly version

Discussion paper

