

Nat. Hazards Earth Syst. Sci. Discuss., referee comment RC2 https://doi.org/10.5194/nhess-2021-93-RC2, 2021 © Author(s) 2021. This work is distributed under the Creative Commons Attribution 4.0 License.

Comment on nhess-2021-93

Anonymous Referee #2

Referee comment on "A climatology of sub-seasonal temporal clustering of extreme precipitation in Switzerland and its links to extreme discharge" by Alexandre Tuel and Olivia Martius, Nat. Hazards Earth Syst. Sci. Discuss., https://doi.org/10.5194/nhess-2021-93-RC2, 2021

General comments :

The article studies the temporal clustering of extreme precipitation in Switzerland and its link with the occurrence of persistent heavy discharge in 93 catchments. The article is interesting, however I didn't get several methodological points that prevented me from taking full benefit of the study :

- I didn't get how the cluster events are identified (section 2.2.2). The authors cite Kopp et al 2021, which I looked at, but actually I still don't fully get it. Anyway this is an important variable of the study and I think the article should be self-sufficient

- I got confused with the analysis of flood days : how is it possible to get 5 days exceeding the 99th quantile within 10 days (Figure 9) ? This is very unlikely : there are on average 3.65 excedances per year.

Finally there are many figures for a quite short article. Some figures are little commented (e.g. those of section 3.3) and perhaps they could be omitted to make it more concise (not mandatory).

Detailed comments :

- title : « impacts » is confusing because it relates to social sciences

- I 38 and others: Tuel and Martius 2021 is in review so I coulnd't check

- I 111 : please consider explaining the declustering procedure (and its goal) in short

- I 124 : « at least half of the n values » : is it the same « n » as the window siez above ? (I don't think so). Do you consider all time scales between e.g. 5-15 days ? (i.e. 5, 6, 7, ... , 15 days)

- all of section 2.2.2 : unclear to me even with Kopp et al. Please clarify.

- section 2.2.3 « flood days » may be confusing □ heavy discharge days ?

- I 138 : I guess (L,N) should be (N,L)

- I 141 : please add a subsection here

- I 148 « This seasonality... end of paragraph \square please consider moving it into the discusion section

- I 160 : « floods are rare » : it's actually hard to tell because the color scales are different in Figs 2 and 3. Please consider merging these two figures and using the same color range.

- section 3.2 : I missed it because I didn't get the definition of clusters

- I 227 : « not very different between clustered and non-clustered extremes » : actually the y-scales are different and we can read quite different values for the two cases (about 0.7 vs 0.4). Please consider using the same y-scale.

- I 267 : « runoff regime » : please clarify

Minor :

- | 61 : brackets

- | 81 : 63 🗆 93

- I 82 : smooth

- | 104 : as as

- I 105 « all-day percentiles » : confusing to me all-day // monthly

- I 160 « floods » 🗆 please specify « in Jura »

- I 240 : IVT acronym

- I 263 flood risk 🗆 hazard

- Fig 1 : please locate Ticino, Jura, ... (also all the Swiss maps are elongated)

- Fig 2 , 3: please specify the seasons a,b,c,d