

The Cryosphere Discuss., referee comment RC3  
<https://doi.org/10.5194/tc-2022-108-RC3>, 2022  
© Author(s) 2022. This work is distributed under  
the Creative Commons Attribution 4.0 License.

## Comment on tc-2022-108

Simon Horton (Referee)

---

Referee comment on "Combining modelled snowpack stability with machine learning to predict avalanche activity" by Léo Viallon-Galinier et al., The Cryosphere Discuss., <https://doi.org/10.5194/tc-2022-108-RC3>, 2022

---

### General comments

This study presents a statistical model to predict avalanche and non-avalanche days using a combination of weather data, modelled snowpack properties, and modelled stability indices. The model is developed with 58 years of avalanche observations from a region in France. The study is designed to examine the added value of stability indices in statistical models for avalanche activity. While statistical models have been widely developed and tested in the scientific literature, investigating how recent advances in snowpack modelling and snow mechanics could improve these models is an interesting and worthwhile objective that is well suited for The Cryosphere. My main concern is how some of the methodological choices likely impacted the results and conclusions. I also think the study missed an opportunity to present their spatially distributed results (i.e., by aspect and elevation) which could be of value to avalanche forecasters. Please see my specific comments for suggested revisions to this paper.

### Specific comments

- Manuscript structure: The paper was well structured with complete and logical flow of information. The graphics were also clean and easy to interpret.
- Sampling of days to include in the study: I question some of the choices made about filtering the data set and how that impacted the results. A few things stand out as dramatically impacting the set of avalanche days and non-avalanche days that were analyzed:
  - Why was the period restricted to Oct 15 to Mar 15? Doesn't this remove a large portion of large wet avalanches from the study? What is the purpose of including wet

snow stability indices when many of the wet snow avalanche days have been removed? Do you have any information about wet versus dry avalanche activity in the EPA data set? Similarly, I question how meaningful including days in October and November are for predicting full path avalanches.

- Second, the threshold of 1 cm (or 10 cm in other parts of the manuscript?) seems very low considering the avalanche observation data only considered avalanches reaching the bottom of avalanche paths. I think a larger threshold would be much more appropriate. Choosing a threshold depth for avalanches grounded in literature or deriving one from your data set would be more appropriate (e.g., calculate the distribution of snow depths on avalanche days and chose a low percentile as a cut-off). I assume this would be on the order of 100 cm and would remove many of the non-avalanche days from the study.
- I suspect plotting the avalanche activity by day of year and snow depth would reveal informative patterns about when discriminating avalanche and non-avalanche days is actually important to avalanche forecasters. A model informing the likelihood of large natural avalanches in mid-winter and late-winter is likely much more helpful than a model informing whether the snowpack depth has reached the threshold for avalanches.
- By removing more of the uninteresting non-avalanche days, the dataset would be more balanced. This would likely diminish the obvious impacts of snow depth on the resulting models and put more weight on the stability indices, which would better suit the objective of the study.
- Weak layer selection: The choice of always selecting 5 weak layers seems unusual and was not adequately justified. What is the benefit to this method over choosing a threshold value to identify weak layers? Could there be adverse effects to having many extra layers in the analysis that are potentially stable and uninteresting? For example, wouldn't this diminish the importance of the stability indices compared to a dataset that only included layers that met some type of threshold stability criteria?
- Classification scores and model performance: I wonder how my previous comments impact the resulting classification scores. The precision seems very low, despite the explanation provided. I was also surprised to see the low performance of the meteo subset, as I would expect weather factors to be significantly better at predicting natural avalanche activity than a random model. Especially when considering large natural avalanches, common forecasting experience and past studies have found simple weather indices like 72 hour accumulated precipitation and air temperature to be strong influences. This has me question the representativeness of the dataset/variables and the overall soundness of the results. Can you justify the low performance of the meteo subset in this model?
- No presentation of results by aspect and elevation: While I understand the decision to aggregate the results from different aspect and elevations to see the overall importance of input variables, I think presenting some of the aspect and elevation patterns would be of great interest as well. First, the question of how well the model can predict the location of avalanche activity would be valuable to forecasters. Second, it's not clear whether the imbalance in the amount of avalanche days by terrain class shown in Fig. 2 impacted the results (e.g., how does the model performance compare on south aspects where there were many avalanche days versus NE aspects where there were few avalanche days).
- Writing style: I found parts of the manuscript difficult to read, with poor flow between sentences and phrases interrupted by citations. I had to read some paragraphs twice to fully understand the meaning and would appreciate additional editing to improve the readability.

## Technical comments

- Title: Is "snow physics" the best way to describe the dataset in this study? It has a broad range of interpretations and when first reading the manuscript I wouldn't have automatically assumed the main data was model-generated stability indices.
- Lines 11-12: The terms "recall" and "precision" are rather technical for the abstract and would probably have more impact if replaced with plain language descriptions (e.g., predicted X% of days when avalanches were observed), especially considering there are many synonyms for contingency table statistics and some readers may not be familiar with these specific ones.
- Line 20 "Human infrastructure" is an unusual term and could probably be described better.
- Line 19-23: These first few sentences are examples where the position of citations interrupts the readability.
- Line 42: The phrase "delimitation lines around avalanche-prone conditions" is verbose and could be more concise and clear.
- Lines 50-52: Nice context and motivation for this study!
- Line 52: I question whether adding mechanical stability indices would "reduce the complexity of statistical tools". These tend to be relatively complex variables dependent upon many other parametrized variables, and in my view are more complex than a simple model based on variables like snow depth and air temperature. I suggest removing "reduced complexity" and directly stating what is meant by complexity (i.e., models with fewer variables and interactions).
- Lines 62-63: This important sentence stating the objective of the study should be written to be more clear and specific. I had to read this multiple times and was still unclear on the big picture aim of the study.
- Line 72: remove "an" from "study an area"
- Line 75: What is meant by a "series of events" being reliable? Is this refereeing to reliable observations of the events?
- Line 80: Please justify this date range. As mentioned above, the early part of this range likely contains many uninteresting non-avalanche days and the late part of this range omits large spring avalanches. This date range criteria could be dramatically influencing the results and their interpretation.
- Line 88: Can you comment on the typical size of these avalanches that reach the run-out threshold (e.g., using the EAWS scale <https://www.avalanches.org/standards/avalanche-size/>). This would help readers better understand the type of avalanches this model predicts. Also, are all these avalanches natural or are any of the paths modified or controlled with explosives (because snowpack would impact the representativeness of the snowpack model)?
- Line 98: Please describe how avalanche date uncertainty is defined? Do observers estimate a range of dates?
- Line 116: Was the entire study area treated as a single massif in SAFRAN or was SAFRAN run for each municipality? If a single massif, why is it meaningful to show the three municipalities in Fig. 1?
- Line 131: I think a bit more detail about these indices could be included in this section rather than referring to another paper. Providing equations and/or describing some of the key snowpack outputs used to calculate strength and stress would be valuable. Also, the only reference for Viallon-Galinier (2021) in the reference list is <https://doi.org/10.1016/j.coldregions.2020.103163>, but I think these citations are intended to refer to <https://doi.org/10.1016/j.coldregions.2022.103596> which is not listed.
- Line 133: The choice to select five weak layers from every profile is not adequately justified. Also see my specific comment about how this may impact the results. Also,

when defining the local minimum is one layer identified for each separate indices or is there some type of weighted average? If the former case, are there situations where a layer may be duplicated because it is the minimum for multiple indices?

- Sect 2.4.3: I really like the addition of these time derivatives and think it is an interesting part of the study!
- Sect 2.5.1: With such a rich observation dataset I wonder why the simplest binary metric for avalanche activity was chosen. I would expect between the large set of avalanche observations and the types of stability indices included in the models you could try to predict more advanced indicators such as weighted avalanche activity indices, percentage of paths in an aspect-elevation sector that released, etc. The chosen indicator is fine, but perhaps the choice could be justified a bit more.
- Line 160: Be careful with using the term "the model" throughout the paper when both the physical snowpack model and statistical model are part of the study.
- Table 1: I appreciate this concise summary of model inputs. Minor corrections are the depth of dry snow weak layers is listed in consecutive rows, units are provided in different columns, and column 2 is missing a title.
- Lines 180-190: Are there also concerns about the imbalance in the aspect-elevation data? For example, based on Fig. 1 and 2 I assume the number of start zones per sector are variable, so is it reasonable to have an equal number of data points for NE and S aspects in the analysis?
- Line 185: A 1 cm threshold seems very small for full path avalanches.
- Sect. 2.6: I like the LOYO validation approach used in this study and it is well described here. One minor comment is why was the 20 to 80<sup>th</sup> percentiles chosen when 25-75, 10-90 or 5-95 percentile ranges are more common?
- Fig. 3: Please specify the range of uncertainty in the caption (i.e., 20<sup>th</sup> to 80<sup>th</sup> percentile).
- Line 260: Here and in Fig. 4 a new way of grouping the variables is introduced which differs from Table 2. I can track how these counts arise, but it could be clearer.
- Line 257: What is meant by new snow variations? This sounds like change in snow depth, which is not a variable listed in Table 1. Also, I would consider separating the snow depth from variations in Fig. 4 to see how much of the predictive power was simply due to snow depth reaching the threshold for avalanches versus how much was due to detecting snow depth changes over shorter time intervals.
- Fig 4: I suggest sorting the rows by WSSI and DSSI rather than time step to more clearly show the impact of different step sizes.
- Line 294: Please describe the context referred to in Rubin et al. (2012), I am curious how such low precision has been justified in other studies rather than highlighting some type of issue with how the study was designed.
- Line 300: I disagree that the obvious non-avalanche days have been removed (see Specific comments).
- Lines 310-318: While I understand how the model is built with aspect-elevation specific inputs, I think presenting some of the terrain specific results would be a highly interesting part of the study.