

Atmos. Meas. Tech. Discuss., referee comment RC1
<https://doi.org/10.5194/amt-2021-36-RC1>, 2021
© Author(s) 2021. This work is distributed under
the Creative Commons Attribution 4.0 License.

Comment on amt-2021-36

Anonymous Referee #1

Referee comment on "Validation of methane and carbon monoxide from Sentinel-5 Precursor using TCCON and NDACC-IRWG stations" by Mahesh Kumar Sha et al., Atmos. Meas. Tech. Discuss., <https://doi.org/10.5194/amt-2021-36-RC1>, 2021

Manuscript "Validation of Methane and Carbon Monoxide from Sentinel-5 Precursor using TCCON and NDACC-IRWG stations" submitted to Atmos. Meas. Tech. by Sha et al. describes the validation of two atmospheric data products as generated operationally from the radiance spectra as measured by the TROPOMI instrument onboard of the Sentinel-5 Precursor (S5P) satellite. The manuscript covers an important topic appropriate for Atmos. Meas. Tech., contains new material and is well written. I therefore recommend publication after the comments listed below have been considered by the authors.

General comments

The manuscript is very (too?) long. It consists of 84 pages including 37 figures. I do not insist on shortening it but for readers (and reviewers) a split into two publications, one on methane and one on CO, would have been better, I think. Please consider this for a possible follow-on publication.

The paper covers several new and important aspects. Other validation papers addressing similar topics typically highlight the need (based on theoretical considerations) to apply one or more correction to be applied to the satellite and/or the ground-based data before they can be meaningfully compared. These corrections are primarily used to consider differences in vertical sensitivity (averaging kernels) and a priori profile assumptions in the retrieval. In addition, there are other corrections, especially corrections related to altitude, i.e., surface topography variations. Sha et al. also describe and apply these corrections but in addition they also present "direct comparison" results obtained without correction for vertical sensitivity and different a priori profiles (but still include an altitude correction). I like this very much for several reasons. One reason is that one needs to know how large a correction is to judge if the validation critically depends on (is dominated by) the correction or not. Another related reason is that many users will use the data "as is" and for this they probably need to know how good the data quality is without having applied more or less complex corrections. The information contained in this

manuscript provides user with relevant information on this aspect, which is good. My interpretation of the results presented in this manuscript is that already a simple direct comparison gives meaningful validation results as the differences w.r.t. results obtained with correction are small. As shown in the paper (their Tables 4-7) the agreement between the satellite and the ground-based data are often (depending on metric and which data are compared) even better for the uncorrected data, i.e., for direct comparisons (e.g., Table 4 where it is shown that all three parameters (correlation coefficient, mean bias and standard deviation of the bias) are better for the direct comparison (see "Mean all stations"). This is not what one would expect for a meaningful correction. How can it be that a correction leads to an agreement between two data sets that is worse compared to a direct comparison without any correction? That this is the case (as shown in the paper) is very likely related to the fact that the correction is so small (compared to other more relevant effects) that the correction is essentially "not significant" (probably the error of the correction is on the same order or even larger than the correction itself). From the results shown in the paper I conclude that the effect of the correction is "plus/minus" in the sense that for certain aspects (or validation sites) agreement gets better but for other aspects agreement gets worse so that the overall effect is essentially zero. Do the authors agree with this interpretation of their results? Or in other words, do the authors agree with my conclusion that a meaningful validation of the S5P methane and CO products by comparisons with TCCON and NDACC is also possible via simple direct comparison, i.e., that a meaningful validation does not require to correct the data for altitude sensitivity and/or different a priori profiles? Please comment on this in the conclusion section of the manuscript as I think that statements related to this "correction aspect" would make the paper even more useful.

The Abstract contains this sentence starting at line 6: "In this paper, we present for the first time the S5P CH₄ and CO validation results ...". The sentence is long and lists a number of aspects so that it is not entire clear what is meant with "for the first time". Please modify this sentence to clarify if this statement only refers to a subset (or only one) or the many aspects listed. In any case this is not the first paper that reports on the validation of S5P CH₄ and CO. The planned publication does not cite peer-reviewed publications relevant for the context of this publication. This is a major shortcoming and not easy to understand taking into account that many of the listed co-authors should be aware of relevant publications which are not cited (e.g., due to co-authorship). It needs to be mentioned that there is at least one other algorithm and corresponding S5P methane and CO data set, which is published, available, validated using TCCON and used to address important scientific applications, namely the S5P WFMD methane and CO data products generated by University of Bremen. To address this at least the following papers need to be cited (see References): Schneising et al., 2019, 2020a, 2020, Vellalassery et al., 2021.

Because there is not only one S5P methane and CO product please add in the abstract which products (including version number) are validated in this publication.

In this context also the paper of Lorente et al., 2021, is relevant. This paper is mentioned in the Sha et al. manuscript, which is good. Lorente et al., 2021, also report about a bias corrected S5P methane data product and shows detailed validation results. Is this Sha et al. manuscript using a methane data product with the same bias correction applied as also used by Lorente et al., 2021? If not, what is the difference between these products? Please add a short explanation of this so that it is clear for the readers what the relation

between the two S5P bias corrected methane products is.

Specific comments

Abstract, page 2, line 20: Statement "We found that the required bias ...". There is no "required bias" but only a requirement that the bias should be less than a certain value. Please modify this sentence.

Abstract, page 3, line 33 following: Sentence "The validation results for the clear-sky and cloud cases of S5P pixels are comparable to the validation results including all pixels ...". This may be true for the validation results but is this really a statement about the quality of the S5P CO product for cloudy conditions taking into account that the ground-based data are limited to cloud free conditions (and the fact that S5P cannot look through clouds)?

Page 6, line 154 following: Concerning the 7% scaling factor and TCCON CO data use. I understand that the TCCON CO data used here are the products publicly available from the TCCON archive. Are these data already scaled and if yes how has the scaling factor been removed (e.g., is it a constant or does the product also contain the unscaled values)? Please add this information on the content and use of the input data.

Page 8, beginning of Sect. 3: The S5P operational CO product needs to be (has been) transformed to another product before it can be compared with TCCON. The transformation depends on space and time and is large and not simply a transformation between physical units. It is unclear for me if a meaningful validation is possible under these circumstances. At least it needs to be clearly mentioned that a direct comparison (validation) is not possible as the S5P and TCCON products differ significantly.

Page 8, line 197: Sentence "Ps and TCH2O are taken from the S5P files". Are these two quantities retrieved parameters or where do they come from? How accurate are they?

Page 9, line 230 following: I do not understand the collocation method. It is mentioned that an "effective location" of the FTIR sites is used depending on line-of-sight. Is this effective location a fix point on the Earth surface for a given satellite overpass? How is this location determined taking into account that the FTIR observations cover a certain period and there may be gaps at certain times due to clouds etc.? If not what does "a radius of 100 km" mean? What exactly are the "Co-located pairs"? Is this an average of several FTIR observations and an average of several S5P retrievals? If it corresponds to an average of several S5P retrievals (as mentioned in the paper) then the standard deviation of this difference cannot be directly related to the required random error or precision (as done in the paper, see line 253 following) as this requirement refers to the random error of single ground pixel retrievals but not to averages. Please clarify.

Page 17, line 515: Sentence "This result confirms the previously reported studies". What exactly is confirmed here? The exact value or only that it is negative? Please clarify.

Page 24, line 758: Sentence starting with "We found that the systematic difference between the S5P ...": The listed uncertainties of, for example, +/-0.57% for the bias corrected data, are not well justified, I think. These numbers are computed as mean values of the standard deviations of (averaged) S5P retrievals minus TCCON data per site. This uncertainty is more related to random errors and not so much to systematic errors. I think that the standard deviation of the biases as obtained for the various TCCON sites is more appropriate. I therefore recommend to add to all tables where the last row lists mean values ("Mean all stations") another row with "Standard deviation all stations" and to use these values as uncertainties.

Page 39: Fig. 1: I suggest to improve the x-axis annotation. If I understand correctly then for each co-location pair the relative difference is computed as $(SAT-GB)/GB*100$, i.e., as percentage difference. On the left of Fig. 1 then mean of this difference is shown (for each site) and on the right the standard deviation of this difference. So "Mean difference [%]" and "Standard deviation of the difference [%]" would be clearer, I think. The annotation for the data in the middle is also potentially misleading as the unit percent may suggest that a percentage difference is shown but if I understand correctly the data show absolute differences of two numbers, where each number has unit percent. Perhaps one can clarify this in the figure caption.

Page 41, caption Fig. 3: Please add that the time resolution of the data shown here is weekly.

Typos

No typos have been identified.

References

Lorente, A., Borsdorff, T., Butz, A., Hasekamp, O., van de Brugh, J., Schneider, A., Wu, L., Hase, F., Kivi, R., Wunch, D., Pollard, D. F., Shiomi, K., Deutscher, N. M., Velasco, V. A., Roehl, C. M., Wennberg, P. O., Warneke, T., and Landgraf, J.: Methane retrieved from TROPOMI: improvement of the data product and validation of the first 2 years of measurements, *Atmospheric Measurement Techniques*, 14, 665–684, <https://doi.org/10.5194/amt-14-665-2021>, <https://amt.copernicus.org/articles/14/665/2021/>, 2021.

Schneising, O., Buchwitz, M., Reuter, M., Bovensmann, H., Burrows, J. P., Borsdorff, T., Deutscher, N. M., Feist, D. G., Griffith, D. W. T., Hase, F., Hermans, C., Iraci, L. T., Kivi, R., Landgraf, J., Morino, I., Notholt, J., Petri, C., Pollard, D. F., Roche, S., Shiomi, K., Strong, K., Sussmann, R., Velazco, V. A., Warneke, T., and Wunch, D.: A scientific algorithm to simultaneously retrieve carbon monoxide and methane from TROPOMI onboard Sentinel-5 Precursor, *Atmos. Meas. Tech.*, 12, 6771-6802, <https://doi.org/10.5194/amt-12-6771-2019>, 2019.

Schneising, O., Buchwitz, M., Reuter, M., Bovensmann, H., and Burrows, J. P.: Severe Californian wildfires in November 2018 observed from space: the carbon monoxide perspective, *Atmos. Chem. Phys.*, 20, 3317-3332, <https://doi.org/10.5194/acp-20-3317-2020>, 2020a.

Schneising, O., Buchwitz, M., Reuter, M., Vanselow, S., Bovensmann, H., and Burrows, J. P.: Remote sensing of methane leakage from natural gas and petroleum systems revisited, *Atmos. Chem. Phys.*, 20, 9169-9182, <https://doi.org/10.5194/acp-20-9169-2020>, 2020b.

Vellalassery, A., Pillai, D., Marshall, J., Gerbig, C., Buchwitz, M., Schneising, O., and Ravi, A.: Using TROPospheric Monitoring Instrument (TROPOMI) measurements and Weather Research and Forecasting (WRF) CO modelling to understand the contribution of meteorology and emissions to an extreme air pollution event in India, *Atmos. Chem. Phys.*, 21, 5393-5414, <https://doi.org/10.5194/acp-21-5393-2021>, 2021.