

Atmos. Meas. Tech. Discuss., author comment AC2
<https://doi.org/10.5194/amt-2021-79-AC2>, 2021
© Author(s) 2021. This work is distributed under
the Creative Commons Attribution 4.0 License.

Reply on RC2

Benjamin Männel et al.

Author comment on "GNSS-based water vapor estimation and validation during the MOSAiC expedition" by Benjamin Männel et al., Atmos. Meas. Tech. Discuss.,
<https://doi.org/10.5194/amt-2021-79-AC2>, 2021

* General comments:

This paper describes ship-borne GNSS based water vapor retrieval in the Arctic Ocean in the framework of the MOSAiC project.

After the evaluation of the GNSS raw data quality, the processing strategy is described. The solution is first assessed by studying the scattering of GNSS position estimates as the ship was in the dry dock and, next, by comparing the GNSS vertical component to tide gauge data during a harbor stay. Then, the retrieved zenith total delay are compared to ERA5, ground-based GNSS and VLBI values with conclusive results (RMS between 10 and 15 mm). Finally, IWV are derived from ship-borne ZTD and compared to radiosonde measurements (on-board launch); results are conclusive too with RMS differences around 1,5 kg/m². Two cases of warm air intrusion are shortly described using GNSS-derived IWV.

The paper is well written, presents a relevant state-of-the-art and achieves to highlight the potentiality of the use of ship-borne GNSS antenna for ZTD/IWV retrieval for the monitoring of the atmosphere over the oceans.

The bibliography is relevant and properly formatted (some typos left, see below)

I have no major concerns but I think that some points and figures could be improved to better enhance the paper (see "Specific comments" section).

I recommend the editor to accept the papers with ****minor revisions**** according to the following specific comments and technical corrections.

A: Thank you for the encouraging review and your comments.

* Specific comments & technical corrections:

- line 15: I think you could add a sentence to establish the connection between (slant) "delays" and "ZTD".

A: The connection between slant delays and ZTD is described in line 16 and 17. To improve the clarity we replace "It is" with "The zenith delays are" in the manuscript.

- lines 85-86: please delete "therefore... estimated", estimation of ambiguity parameter is obvious (even if not fixed)

A: We prefer to keep this sentence to indicate that all ambiguities are estimated and not only the ones which are not fixed. However, Bernese GNSS Software Version 5.2 does not support ambiguity fixing in PPP mode. We removed the advised part.

- line 86: you chose a low cutoff angle (3 deg), I guess, in order to decorrelate ZTD and height in estimation; however a low cutoff angle is more subject to multipath. Do you evaluate higher cutoff values?

A: You are right, we selected the low cut-off to de-correlate ZTD and height but also to get as many observations as possible from the obstacle-free portside. We didn't evaluate larger cutoff angles within this study.

- Tab1: it is not clear how do you apply VMF1 for hydrostatic delay computation and mapping function. The VMF1 is position-dependent: do you update hydrostatic delay and mapping functions values with position or do you consider that due to the slow ship's move, only values for a mean position is enough? I think you could clarify this point in the text.

A: Given the slow speed of Polarstern we assume that an averaged ship position is sufficient for the VMF computation. We added the information in table 1

- Tab1: what do you mean by "pre-eliminated" for coordinates and receiver clocks?

A: Pre-elimination or reduction of parameters allows to reduce the normal equation system while keeping all information except for the estimate of the pre-eliminated parameter itself. Epoch-wise parameters are pre-eliminated by default but they are back-substituted (more details are provided in the Bernese Manual p. 183, <http://www.bernese.unibe.ch/docs/DOCU52.pdf>). For the coordinates, we added back-substituted in the table.

- line 94: maybe you could describe shortly what is mp12.

A: Thank you for spotting this mistake. The correct name is MP1 (L1 multipath). We corrected the text and also Fig. 3.

- Fig3: I think you should complete this figure by indicating the different periods that are mentioned between lines 94 and 106: periods when the ship is in dry dock, periods when the ship is moored, periods when water vapor measurements are not restricted.

A: We added the dry dock, moored, and supply periods. The restricted periods are not indicated as they are not related to the tracking and processing behavior.

- Fig3: How did you explain the increase of mp12 in May 2020?

A: Honestly, we have no explanation. The increase could be caused by re-arranged equipment in the antenna surrounding. Polarstern left the drift position in May which makes changes likely, i.e. additional equipment installed or stored at the observation deck.

- line 127: What is the standard deviation of the differences between antenna and tide gauge? Maybe you could add this value to the text. I guess that you took into account the vertical movements due to ocean loading, Earth tides, etc.

A: The standard deviation is 20cm and is added to the text. Vertical movements are considered.

- line 127: How did you get the height difference between antenna and tide gauge? (empirically means: median, mean, rough draught measurement?)

A: We used the mean difference. We added this information to the text.

- line 140: By "singular epoch", I guess you mean epoch without estimates just before and after; but what do you mean by "interpolated epochs"? Could you clarify this?

A: In case of too few observations Bernese GNSS Software used a linear interpolation for the coordinates. We are referring here to these epochs. We modified the text accordingly.

- line 143: I am not sure to understand "ZTD estimated for epochs with fewer than 800 observations are excluded": Does this correspond to the minimum number of observations available over a 1-hour period around the time of the ZTD estimate? Could you clarify it?

A: Yes, we excluded ZTD from intervals with less than 800 observations. For clarity, we replaced "epochs" with "intervals" in the text.

- line 156: Why did you use only 3-hourly ERA5 grids and not the hourly grids? Do you use the nominal ERA5 horizontal resolution ($0.25^\circ \times 0.25^\circ$)?

A: We used the $0.25^\circ \times 0.25^\circ$ resolution. We applied the (3-hourly) ERA5 grids for the comparison with GNSS but this comparison is done only at a 3-hourly base which is sufficient (i.e. eight values per day over 15 months) to get reliable statistics. For the later IWV computation which was done only for initial comparisons with the radiosondes, we simply interpolated ZHD and T_m values. In subsequent investigations on IWV assessment, interpretation, and comparison the hourly ERA5 grids could be used.

- line 161: since the ERA5 time resolution is 3h and the GNSS derived ZTD is 1h, how do you perform the outlier detection test for each ZTD values? From here, all the comparisons were realized using this "screened" dataset? (Fig8 too?)

A: The comparison was done only for the 3-hourly ZTDs. The outlier detection was applied only to determine the mean difference. Figure 8 contains all differences.

- line 168: Could you add the ground stations location on Fig 6 and, maybe, add on Fig 7 the periods when comparisons with GNSS ground stations and VLBI are done?

A: Given the map projection we added only Ny Alesund to Figure 6 but not Tromso nor Bremerhaven. We marked the intervals by adding black lines in Figure 7.

- Fig9: Could you change the colors blue/green for SAPOS/ERA5 ZTDs: it is hard to distinguish the two time series.

A: Given the good agreement between SAPOS and ERA5 the two time series are nearly identical and therefore hard to distinguish. We prefer to keep the colors as they are used similarly in Figure 10.

- line 210: Did you study the evolution of ZTD differences as distance decreases/increases?

A: We did not investigate this but it was studied for example by Wang et al., 2019. We added a corresponding sentence to the manuscript.

- line 245: Do you know which kind of radiosondes is used?

A: Vaisala RS41 radiosondes were used. For the interested reader, we added the name in the text. More details are provided in the respective DOI.

- line 313: please correct doi for Boniface et al., 2012

A: corrected

- line 325: please correct doi for Fujita et al., 2008

A: corrected

- line 335: please correct doi for Hesbach et al., 2020

A: corrected

- line 374: please correct doi for Rocken et al., 2005

A: corrected

- line 394: please add doi for Zumberge et al., 1997

A: corrected