

Earth Syst. Sci. Data Discuss., referee comment RC1
<https://doi.org/10.5194/essd-2022-47-RC1>, 2022
© Author(s) 2022. This work is distributed under
the Creative Commons Attribution 4.0 License.

Comment on **essd-2022-47**

Anonymous Referee #1

Referee comment on "A past, present and future perspective on the European summer vapour pressure deficit" by Daniel Balting et al., Earth Syst. Sci. Data Discuss., <https://doi.org/10.5194/essd-2022-47-RC1>, 2022

My comments are as following,

Topic: VPD, as a climate index to measure drought, has attracted increasing attention. Moreover, it is of great scientific and guiding significance to reflect its spatio-temporal change pattern from a longer time scale.

Research content: The spatial distribution of VPD in European summer is analyzed in three time scales. Based on the oxygen isotope records of the last 26 European tree rings, the VPD time series grid of the past 400 years was reconstructed based on the random forest. At the same time, the change of VPD at the end of 21st century is simulated based on CMIP6 data. Strong continuity of time is the main innovation of this article. Combining paleoclimate data and CMIP6 data, it expands the time range of existing research and has a strong guiding and demonstrating role.

At present, the research on paleoclimate (Quaternary) mainly focuses on the reconstruction of paleoclimate. It is innovative to combine it with VPD. The simulation of VPD in the future is also based on the latest CMIP6 data, which has a certain scientific research opportunity. The idea of this paper is ingenious, and the content involves many research fields. Combining with the current hot VPD, this paper analyzes the spatial and temporal variation characteristics of VPD in Europe from the perspective of geography, which is frontier in the field and rich in content.

Questions: The paper is well done. However, the accuracy of VPD in paleoclimate reconstruction needs to be further improved. The paleoclimate temperature is retrieved from tree rings, and VPD is estimated based on paleoclimate. Moreover, there are only 26 station data, which may affect the inversion accuracy. In addition, there are no other related indicators to verify the paleoclimate of tree ring inversion. We can compare the paleoclimate based on pollen, foraminifera, stalagmites and other indicators on the same

time scale to further verify the accuracy of tree ring inversion.